ACCESSORY CATALOG

for SEWING MACHINES

2026-05-06

JANOME

ADDING TO YOUR SEWING ENJOYMENT

Janome accessories help make your sewing more comfortable and enjoyable.
Each of our accessories has been developed to be easy to use and give beautiful results so that you can sew with confidence knowing it is a Janome.
The first step in cultivating your sewing skills is choosing the right tools.
Let this catalog guide you for the projects you may have in mind and serve as inspiration for your new ideas.

TABLE of CONTENTS

INTRODUCTION 2
JANOME QUALITY 7
CATALOG OF ACCESSORIES 13
- for GENERAL SEWING MACHINES 14
- for OVERLOCKERS 37
- for COVER STITCH MACHINES 41
- for PROFESSIONAL OVERLOCKERS and COVER STITCH MACHINES 46
- for HIGH SPEED MACHINES 49

MISC. ACCESSORIES 56
- NEEDLES 57
- OTHER ACCESSORIES 62

INDEX 78

* Some accessories/products only available in certain markets.

INTRODUCTION

Key Information of JANOME sewing machine

01 Maximum Zigzag Width

The maximum zigzag width of stitches is from 5 mm to 9 mm depending on the sewing machine.

High Shank and Low Shank of Presser Foot Holder 02

High shank means that the presser foot holder is installed at a higher position. Most sewing machines with embroidery features and/or the AcuFeed system are equipped with the high shank type of presser foot holder.
Low shank means that the presser foot holder is installed at a lower position.


03 AcuFeed System

AcuFeed Flex is a feature only available on premium Janome sewing models.
The system uses Upper Feed Teeth in conjunction with Lower Feed Teeth to gently move multiple layers of fabric through the machine. The Upper Feed Teeth move with the fabric as the Lower feed teeth move, feeding both the top and bottom layers of fabric at the same time.
There are three variations of Acufeed Flex feet available in the Janome range: Twin, Single and Professional.

JANOME sewing machine Compatibility Quick Reference Guide

Use this quick reference guide to determine compatibility of an accessory with your Janome sewing machine.

A



Embroidery & Sewing models
(7 mm width)

B



Embroidery only models

C



Computer models
with AcuFeed system
(7 mm width)

D



Computer models
(7 mm/5 mm width)

E



Top-loading
(Horizontal Rotary Hook) models
(6.5 mm width)

F



Top-loading
(Horizontal Rotary Hook) models
(5 mm width)

G




Front loading
(Oscillating hook)
models

H



Overlockers
*excl models 203,888

I



CoverPro models

J




High speed straight stitch models

K



Needle punching model

L



Multi-needle models

M



Combined overlock and
cover stitch models

N



Embroidery & Sewing models
with AcuFeed (9 mm)

O



Embroidey & Sewing models
(9 mm width)

P



Computer models with AcuFeed
(9 mm width)

Q



Computer models
(9 mm width)

For futher information,
please refer to
the page 4 to 5.

JANOME sewing machine Compatibility Chart

GROUP	DESCRIPTION	SUPPORTED MODELS
A	7 mm Sewing or Embroidery Combo (High Shank)	Skyline S3 Memory Craft (11000, 10000, 10001, 9700, 1000)
B	Embroidery Only	Memory Craft (550E, 500E, 400E, 350E, 230E, 100E)
C	7 mm Sewing with AcuFeed (High Shank)	Memory Craft (7700QCP, 6600P, 6500P)
D	7 / 5 mm Sewing Models (Low Shank)	Memory Craft (5200, 4900) QDC (2160, 2030, 3160, 4030, 4120, 4300, 5060, 5300) DC (2019, 2030, 7060, 7100, 6030) 6260QC, 6100 Maker Series (M50, M100, M150, M200) Sewist (780DC, 740DC) C30 Schoolmate 7330 MyStyle100
E	6.5 mm Sewing (Low Shank, Top-loading, Horizontal rotary hook - Mechanical)	Décor (5124, 5024, 5018) MyExcel (4014, 4018, 4023, 4123) HD (718, 3000, 5000) C30 6019QC, 6125QC MyExcel 18/23
F	5 mm Sewing (Low Shank, Top Loading - Mechanical)	FD216 Jem (Gold , Gold 2, Platinum 760) Sewist (521, 525, 625E, 709, 721, 725S) Sew Mini Magnolia 7318 712T
G	5 mm Front loading (Low Shank, Oscillating hook - Mechanical)	234, 2212, 2112, 3012, 3016, 3022, 419S, 423S, 415, 405 311 (Arctic Crystal, Blue Couture, Pink Sorbet) 1522 (RD, LG, SB, SG, DG, DB, PG) L (392, 372, 393, 373) HD 1000 SUV (1108, 1122)
H	Sergers/Overlockers	8002D, 9102D AT2000D PG (793, 792) FA4 FourDLB / DLM Magnolia 7034D MyLock (454D, 545D, 654D) Pro4DX XG-43D

GROUP	DESCRIPTION	SUPPORTED MODELS
I	Cover-Stitch	900CP, 1000CP, 1000CPX, 2000CPX CP 3000 PROFESSIONAL
J	Straight Stitch / High Speed (High Shank)	1600P HD-9 (BE, QCP)
K	Needle Punching	FM725
L	Multi-Needle Embroidery	MB-4, MB-4S, MB-7
M	Combination Sergers and Cover-stitch	1200D 1100D
N	9 mm Sewing and Embroidery with AcuFeed (High Shank)	Memory Craft (15000, 14000, 12000) Skyline S9 Continental M17
O	9 mm Sewing and Embroidery (High Shank)	Memory Craft (9900, 9850)
P	9 mm Sewing with AcuFeed (High Shank)	Skyline (S7, S6) Memory Craft (9480QCP, 9450QCP, 9410QC, 9400QCP, 8900QCP, 8200QCP, 6700P) Continental (M6, M7, M8)
Q	9 mm Sewing (High Shank)	Skyline S5 MC6650

JANOME Accessory Catalog Usage Guide

The following information is available for each accessory.

① Name ② Photo ③ Description

① 1/4 INCH SEAM FOOT

② 

③

WITH GUIDE
Achieve a perfect 1/4" (6.5mm) seam allowance along the edge of the foot. Great tool for quilt piecing and topstitching.

WITHOUT GUIDE
Recommended for areas where the guides get caught, such as where the stitching allowance overlaps.

https://youtu.be/ L2PElaLkAHc

④	⑤	⑥	⑦	⑧
200-318-000	A CDEF	WITH GUIDE	0	BP
200-330-008	G			BP
859-814-012	NOPQ		0	NP
202-529-002	A CDEF	WITHOUT GUIDE	0	BP
202-313-001	NOPQ		0	BP

Example (1/4 INCH SEAM FOOT)

④ Part Number

⑤ Compatible Model Category
(Refer to the table on page 4-5.)

⑥ Remarks

⑦ Engraving



Example (1/4 INCH SEAM FOOT)

Letters or numbers engraved to identify each presser foot. (Depends on the part numbers)

⑧ Package Specifications
-- 3 methods are available: BP, CB or NP

BP: Blister pack



CB: Cardboard box



NP: No packaging or shipped in a plastic bag




* Instructional video is available if there is a QR code that links to our official YouTube channel.

JANOME QUALITY

Janome Engineering and Craftsmanship for Better Quality Sewing

Exclusive features of Janome presser feet and accessories give you more control and accuracy for a higher quality finish. Calculated for effectiveness and full of originality, you can be assured that the history and tradition of quality Janome engineering is behind not only every sewing machine, but every presser foot and accessory as well.





Grooves guide fabric and thread

Special grooves on the underside of feet promote optimal fabric feed for best results. On the left, the diagonal grooves on the underside of the blind hem foot improve contact of the fabric with the center guide plate for more accurate blind hems. On the right, outlets are provided on the underside of the zigzag foot to help grab the thread as it exits and improve stitch quality.

Button locks foot tilt

Who hasn't been frustrated by stitching bunching up before a thick seam? Although sewists normally appreciate the free tilt of a sewing foot, sometimes this feature can work against you when the foot comes up against a thick seam. To help you have perfect stitching over even the thickest seams, Janome provides a button on the zigzag foot that locks it horizontally parallel to the thread plate for smooth sewing over seams or other areas of significantly varying thicknesses. This feature can also be used at the beginning of sewing thick fabrics for a perfect start.





Multiple functions in one presser foot set

From idea to reality. When our customers say, "Wouldn't it be handy if...", we listen to their ideas. The feet that come with the convertible FMQ set are interchangeable and the guide on the 1/4 inch clear-view quilting foot can be removed. This means the feet can be matched precisely to the purpose with 1 set providing a range of functions. That's why these items fulfill user needs and are proving to be popular.



ACUFEED:
Layered Fabric Feeding System

Janome truly integrates a built-in walking foot with a unique seven point feed dog system. Since the top layer is fed in perfect timing with the bottom layer, all fabrics move smoothly, even the slippery ones like velvet or thick layers of quilting fabric and batting, and heavy home dec yardage. Perfect feeding also means perfect alignment of patterns such as checks and plaids.

ACUFEED FLEX™

In addition to the original twin type, single type feet can now be used, expanding sewing possibilities. AcuFeed Flex™ keeps your thickest, trickiest layers moving in perfect sync with the feed dogs. You're going to love the new AcuFeed Flex™ feet for stitching your fluffiest quilts, installing zippers, or matching seams!




The AcuFeed Flex™ fabric feeding system is fully detachable and easy to remove when you're not using it. Select the presser foot that best matches your sewing needs and attach. Simply snap off when not in use and store out-of-the-way in one of the ample accessory trays. Multiple twin type and single type feet are available to address different tasks.

★The product named "AcuFeed" in this catalog is identical to the product named "Dual feed" in the sewing machine instruction manual.



AcuFeed (twin type):
The twin type AcuFeed attachments give you superior stability by taking full advantage of a wider stance. Engage the exclusive AcuFeed fabric feeding system and feel your project moving together under the needle with perfect precision.

ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE (Dual feed 1/4 inch seam foot and needle plate)



Guides edge of fabric to help you sew perfect 1/4 inch seams, especially useful for patchworking. The small needle hole on the needle plate prevents fabric from being pushed under the needle plate.

846-407-007	C*	ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE(Dual feed 1/4 inch seam foot and needle plate)		BP

* Needle plate only compatible with MC6600P

202-031-002	C	ACUFEED 1/4 INCH SEAM FOOT (Dual feed 1/4 inch seam foot)		BP
202-125-004	N P	ACUFEED QUILT PIECING FOOT (Dual feed quilt piecing foot)	0D	BP


ACUFEED OPEN TOE FOOT (Dual feed open toe foot)



Front of foot has been removed for clearer visibility when sewing. Great for applique, monogramming, cutwork and quilting.

846-410-003	C			BP
202-149-004	N P		UD	BP

ACUFEED DITCH QUILTING FOOT (Dual feed ditch quilting foot)



Center-position guide follows a seam line precisely, allowing perfect in-the-ditch quilting. Used in conjunction with various needle positions, it is also perfect for topstitching or under-stitching a facing.

https://youtu.be/EYkhlU1hFvk

846-413-006	C			BP
202-103-006	N P		SD	BP

ACUFEED STRAIGHT STITCH FOOT (Dual feed straight stitch foot)




The circle hole in the foot holds the thread in place and allows for a quality straight stitch. Using together with straight stitch needle plate is recommended.

202-102-005	N P		STD	BP



AcuFeed (single type):
The single type dual feed attachments let you get in close to sew a narrower area as well as the edges of cloth.


ACUFEED FOOT WITH FOOT HOLDER (Dual feed plus foot with foot holder)



This foot has the power to feed fabrics. It is especially effective for top-stitching on the edge of the fabric and stitching on narrow strips.

202-127-006	N P		VD	BP

ACUFEED ZIPPER FOOT (Dual feed plus zipper foot)



Zippers can be attached to plastic coated fabric, leather and any tricky to handle materials without any difficulty.

202-128-007	N P		ED	BP

ACUFEED FLEX PROFESSIONAL GRADE FOOT (Dual feed plus professional grade foot)



This foot provides superior visibility and is great for curves and precise topstitching. It holds fabrics firmly in sync with the feed dogs to achieve professional results.

* To use this accessory, you will need the HP needle plate that comes with your sewing machine.

202-415-004	N*1 P*2		HP2	BP

*1 For use with HMC15000, SKYLINE S9 Ver. 2.00 or later and CM17
*2 For use with SKYLINE S7 Anniversary Edition, MC6700P, HMC9480QCP, HMC9410QC, HMC9450QCP, HMC9400QCP, CM8P, CM7P and CM6

A.S.R.®



The Accurate Stitch Regulator reacts to the movement of the fabric and provides the same stitch length for Free Motion, Ruler Work, or Echo quilting. The A.S.R. is like training wheels for your Free Motion Quilting. This device uses an optical sensor to ensure that your stitches are the same length as you are Free Motion Quilting. The sensor reads how fast you are moving the quilt under the needle so that it can adjust the stitches to remain the same length.

869-411-005	N*1 P*2			CB

*1 For use with CM17
*2 For use with CM8P, HMC9480QCP

Contents * ASR-QC, ASR-QO, ASR-QV and ASR-QR are engraved.

A.S.R. (Accurate Stitch Regulator) with ASR-QC



A.S.R.
open-toe foot ASR-QO



A.S.R.
clear-view foot ASR-QV




A.S.R.
ruler work foot ASR-QR



CATALOG OF ACCESSORIES

Using the correct presser foot and accessory for the job at hand not only makes it easier to complete, but also lets you achieve more beautiful finished results. Further it means that you will have less strain on your eyes for a more enjoyable sewing experience. Let this catalog guide you to the right accessories to meet your sewing needs.
Use the handy quick reference guide to determine the compatibility of each accessory with your Janome sewing machine.



GENERAL SEWING MACHINE ACCESSORIES

General sewing machines are versatile and user friendly.
Let Janome presser feet and accessories expand your sewing repertoire.

STRAIGHT STITCH FOOT




The straight stitch foot is flat on the underside to provide even pressure against the feed dogs and it has a rounded needle hole which offers the benefit of more support around the needle to prevent skipped stitches and puckering.

https://youtu.be/jYHUrYeTNSM

200-331-009	A CDEF		H	BP
200-125-008	G			BP
202-083-009	NOPQ		ST	BP

APPLIQUE FOOT




This presser foot is shorter than most for easier maneuvering around curves and corners when sewing applique pieces. Made of clear plastic for easier viewing as you sew.

https://youtu.be/44-wyVT-2os

202-023-001	A CDEF		F	BP
202-086-002	NOPQ		AP	BP

SLIDING GUIDE FOOT



This foot is ideal for seaming with a 5/8 inch allowance, and the adjustable seam guide allows precise edge stitching and hemming.

https://youtu.be/3t0oagQQOIk

202-218-005	A CDEF		SG	BP
202-293-004	NOPQ		SG	BP

ROLLER FOOT



As its name suggests this foot has rollers that roll against the fabric and act very much like the track on a bulldozer for sewing up and over heavy seams and uneven surfaces. Ideal for sewing heavy fabrics, the rollers move freely between the foot and the feed dogs so that the foot rides easily over varying thicknesses. Also used to sew sticky leathers and vinyl.

200-316-008	A CDEF			BP
200-142-001	G			BP

DARNING FOOT



Sometimes referred to as the embroidery foot, the darning foot is used for 'free hand' embroidery and darning to ensure proper stitch formation, minimize skipped stitches and puckering and also protect your fingers while you move the fabric freely under the needle. Especially beneficial to those just learning how to do free hand embroidery. The open toe version greatly improves visibility of stitches and is especially popular with quilters.

200-325-000	A C	REGULAR	P-2	BP
200-349-000	DEF		P	BP
200-127-000	G			BP
859-839-002	NOPQ		PD-H	NP
200-337-005	A C	OPEN TOE	P-2	BP
200-340-001	DEF		P	BP
202-314-002	NOPQ		PD-H	BP

ULTRA GLIDE NEEDLE PLATE & ULTRA GLIDE FOOT



Molded from a special resin that allows easier sewing of sticky materials, the ultra glide foot moves smoothly over faux leather, ultra suede, vinyl and even plastics on the ultra glide needle plate. This non-stick attachment glides along with no drag so you can sew on these surfaces just like they were regular fabric.

https://youtu.be/xXUQ9v3dLSc

200-329-004	A CDEF	ULTRA GLIDE FOOT		BP
200-141-000	G			BP
202-091-000	NOPQ		U	BP
202-201-005	N*1OP*2Q	ULTRA GLIDE NEEDLE PLATE & ULTRA GLIDE FOOT	U	BP
202-431-006	N*3 P*4		U	BP

*1 excl. CM17 *2 excl. CM8P, CM7P, CM6
*3 For use with CM17 only *4 For use with CM8P, CM7P, CM6 only

HD ROLLER FOOT



An innovative new foot that can smoothly control materials such as leather and vinyl which are prone to catch. When using this foot, the base of the needle is clearly visible, making your work easier.

202-418-007	A C J NOPQ			BP

SATIN STITCH FOOT



For sewing dense zigzag stitching. The bottom of the foot is beveled for smooth delivery of thread when sewing decorative or satin stitches. Foot is made of clear plastic making it easier to view stitching.

822-804-129	A CDEF		F	NP
200-129-002	G*1			NP
859-806-011	NOPQ		F	NP

*1 Foot is made of metal.

GATHERING FOOT




This foot is for creating soft gathers in lightweight fabrics. The underside of the foot is raised behind the needle and has a thick bar in front of the needle to gather and attach a ruffle onto a flat piece of fabric simultaneously. Use a ruffler to obtain a more dramatic gather.

https://youtu.be/M7rvzWc8eg8

200-315-007	A CDEF			BP
200-124-007	G			BP
202-096-005	NOPQ		V	BP

CUSTOM CRAFTED ZIGZAG FOOT



The open toe on this foot allows a better view of the sewing in progress. This foot can be used for quilting, monogramming, applique, and cut work.

* The product named "Custom crafted zigzag foot" in this catalog is identical to the product named "Open toe satin stitch foot" in the sewing machine instruction manual.

https://youtu.be/CDJNQ8xfVbE

200-137-003	A CDEF		F2	BP
859-813-000	NOPQ		F2	NP


BINDER FOOT



The binder foot is used to apply pre-folded bias binding tape or bias tape you have cut yourself to the edge of fabric in one easy step. It is equipped with a small funnel to fold and guide the binding over the fabric edge before it reaches the needle and can be used with either zigzag or decorative stitches as well as straight stitch. 10 mm to 14 mm bias tape can be used.

200-313-005	A CDEF			BP
200-140-009	G			BP
202-099-008	NOPQ		W	BP

BI-LEVEL FOOT



This foot enables sewing at a constant width from the fold of the fabric.
It guides your top stitching and edge stitching perfectly.
Thick materials (e.g. wool, denim, tweed) can be finished.

https://youtu.be/zJmLEfwtc3w

202-504-001	A CD*1	RIGHT BI-LEVEL FOOT	BL	BP
202-461-005	NOPQ		BL	BP
202-538-004	A CD*1	LEFT BI-LEVEL FOOT	BL2	BP
202-522-005	NOPQ		BL2	BP

*1 excl. Jem Platinum, S-750 and M30A


TAPING GUIDE FOOT



Use this foot for attaching tape to the edge of fabrics. Adjust the needle drop position with the thumb screw.
Guide the fabric with the left hand and tape with the right hand.

202-311-009	A CDEF		TG	BP
202-310-008	NOPQ		TG	BP

LAP-SEAM FOOT




This foot can provide perfect looking and durable seams on medium-heavy weight to heavy weight fabrics.
You can create beautiful lap-seams without ironing.

https://youtu.be/kNbYuLv8fyU

202-503-000	A CDEF		LS	BP
202-463-007	NOPQ		LS	BP

OVERCASTING FOOT / OVEREDGE FOOT



The Overedge Foot and Overcasting Foot help finish fabric edges and prevent fraying.
They guide the fabric and create neat stitches.

822-801-001	A CDEF	OVEREDGE FOOT	C	NP
200-132-008	G		G	BP
822-808-008	A CD*1	OVERCASTING FOOT	M	NP
859-810-007	NOPQ		M	NP

*1 excl. MC3500, MC3000, 6260QC

BLIND HEM FOOT



Blind hemming can sometimes be a little bit tricky so the blind hem foot goes some way to helping improve this technique. The foot has a metal guide in the center and three grooves on the underside. During blind hemming, the fold of the fabric fits snugly against the guide in the foot for accuracy while the grooves underneath help to prevent unnecessary slipping. The needle swings over the metal guide creating slack in the upper tension so that the pick of the stitch is almost invisible.

https://youtu.be/H7yWpMmlVck

825-817-009	A CDEF		G	NP
820-817-015	A CDEF*1		G	NP
200-130-006	G		L	BP
859-807-001	NOPQ		G	NP

*1 Foot is equipped with a screw.

TRICOT FOOT



This foot privents puckering and fabric slippage on stretch fabrics.

202-509-006	G			BP

ZIPPER FOOT



This foot can be set to sew on each side of the zipper. The edge of the foot guides the zipper to ensure straight placement.

808-852-003	A CDEF	SNAP ON	E	NP
940-290-000	G			NP
859-805-009	NOPQ		E	NP
200-334-002	A C	SCREW ON		BP
200-342-003	DEFG			BP

CONCEAL® ZIPPER FOOT



Good quality ready to wear garments will often have an invisible zip fitted. These zippers are often neglected by the home dressmaker which is a pity because they can ensure success every time. Invisible zips are suitable for all fabrics from fine silk jersey through to suit weight wools and tweeds. The key is to get the needle as close to the fastener as possible, which this foot accomplishes by slightly unrolling the zipper just before the needle. Once fitted, a well sewn invisible zipper will merely look like part of the seam.

200-333-001	A CDEF	SNAP ON	Z	BP
202-475-002	G		Z	BP
202-144-009	NOPQ		Z	BP
941-800-000	G	SCREW ON		NP

CONCEAL is a registered trademark of YKK Corporation.

HEMMER FOOT




The hemmer foot, sometimes referred to as the rolled hemmer, is used to stitch the narrow rolled hems usually found on shirt tails, table linens and along the edge of frills. The hemmer is designed with a scroll shaped feeder on top and a straight groove on the underside which determines the width of the finished hem. The 4 mm/6 mm set will allow for the use of heavier fabrics.

https://youtu.be/rxlqrGWeL6g

200-326-001	A CDEF	HEMMER FEET SET (4 mm & 6 mm hems)	D2/D1	BP
202-081-007	NOPQ	ROLLED HEM FOOT (4 mm)	D2	BP
202-080-006	NOPQ	ROLLED HEM FOOT (6 mm)	D1	BP
820-809-014	A CDEF	ROLLED HEM FOOT (3mm)	D	NP
202-044-008	G			NP
859-804-008	NOPQ		D	NP
202-477-004	G	ROUND HEM FOOT		BP


ROTARY EVEN FOOT



For use with all sewing machines, the rotary foot is effective for preventing stretchy fabrics, jersey and knitted fabrics and hard to feed materials like leather or vinyl, from slipping or puckering. The foot also allows left-right tilt and its caterpillars independently grip the fabric for perfect feeding along areas where there is a height difference between the left and right sides of the needle especially when hemming thicker fabrics.

* When using zigzag stitch, set the stitch width at a setting less than 5mm.
CAUTION: In order to avoid needle breakage, do not set stitch width at more than 5mm.

323-77-77	A CDEF			CB



BLIND HEM ATTACHMENT

The blind hem attachment enables accurate feeding of the fabric to achieve a consistent blind hem.



BIAS TAPE ATTACHMENT

The bias tape sewing attachment is adjustable and enables you to attach folded bias tape up to 20 mm wide.



WIDE ROLLED HEM ATTACHMENTS

The wide rolled hem attachments enable wide rolled hems to be sewn in the following sizes: 1/2 inch, 3/4 inch, and 1 inch.


PIPING FOOT



If ready made piping cord is not available or if you just want to make your own, the piping foot is ideal for the job. The piping foot is designed with two grooves on the underside and will hold and cover the cord when making piping tape. It can also be used for attaching piping. Maximum cord size is 5 mm.

200-314-006	A CDEF			BP
202-088-004	NOPQ		I	BP

PIPING FOOT (NARROW)



This foot is used for piping with a cord diameter of about 2 mm.
It is useful for making narrow piping tape using the same fabric as the piece of work, or for attaching piping tape to fabric.

202-502-009	A CDEF		I2	BP
202-462-006	NOPQ		I2	BP


RUFFLER



Rufflers have been around for a very long time and have changed very little over the years; they have however remained very popular. Although at first sight a ruffler may appear bulky and complicated, its innovative design actually makes it very easy to use. This design allows fabric to be ruffled or pleated to the desired fullness quickly and easily and also has the capability to vary the sizes of ruffles.

943-100-000	A DEFG			CB
846-415-008	A CDEFG			BP
202-095-004	NOPQ		RF	BP

PINTUCKING FEET



The pintucking foot is used with a 2 mm twin needle to create multiple rows of pintucks. The grooves on the underside of the foot make it easy to stitch several rows parallel and evenly spaced from each other.

200-317-009	A CDEF	SET OF TWO FEET (narrow grooved and wide grooved)		BP
200-328-003	G	SINGLE FOOT (nallow grooved only)		BP
202-094-003	NOPQ	PINTUCKING FOOT (narrow)	N2	BP
202-093-002	NOPQ	PINTUCKING FOOT (wide)	N1	BP

PINTUCKING CORD GUIDES



The cord guide is attached in place of the clear plastic bobbin cover to feed perle cotton or other cord as you sew for easier corded pintucks. Two guides are included in the set: one for cord up to 1.5 mm in diameter and one for cord 1.5 - 2.5 mm in diameter.

Part Number	Package	Remarks	Compatible Models						
503-813-008	CB	Easy Set Bobbin System is not supported	Harmony 4045/4052	6019QC 6125QC	FD216/212/206 Sew Mini Platinum	M30A	3160QDC 2160DC 2030DC g+i	4120QDC 5120QDC 4300QDC	TS100Q TS200Q
			502	503	508	805	808A/D/J/F/S/X	809A/AS	811A
			6260QC	MC6600P MC6500P	HMC8900QCP HMC8200QC	HMC12000	MC11000		
			845	846A/F	858F/G	859A	860		
200-324-009	BP	Easy Set Bobbin System is not supported	MS5027 MS5021 CS5031 SC5021	Sewist 625E 525S/521 725S/721	Easy Jeans 22 MyStyle 22	Jem Gold	Jem Gold2	MyExcel 4014/4018 4023/4123	HD2200 MyExcel 18/23
			505	507	654	660	661	751	753
			Décor 5124 5024 5018	Jem Platinum	DC4030	MC8000	MC9000	MC5700 MC5000	MC3500 MC3000
			757	806	807	830	832	834	840
			MC4800	DC4100	DC3018 DC3030 DC3060 DC8350	MC5200	MC4900	MC10000 MC10001	MC9500
			841	842	843	844	847	850	853
			MC9700						
			857						
202-213-000	BP	Metal Needle Plate with Easy Set Bobbin System is required	5300QDC 5270QDC SEWLA	M50QDC M100QDC M200QDC	Sewist 780DC 740DC	MC1000	HMC8900QCP SE	HMC8200QCP SE	MC9900 MC9850
			809AU/AU2/F	812	814	819	858F2	858G2	861
			HMC14000 HMC15000 SKYLINE S9	SKYLINE S3/S5/S6/S7	HMC9450QCP HMC9400QCP	MC6700P MC6650	HMC9480QCP HMC9410QC	CM8P CM7P CM6	CM17
			862A2/A3/S	863	865	866	869	867	868

BEADING FOOT



Sewing on strung beads and pearls has always been a tedious task but the beading foot now goes some small way to alleviating this and to add pleasure to embellishing. Popular for bridal wear, evening wear, smart/ casual or crafts, the beading foot set is a blessing. There are two feet in the set: narrow groove for beads up to 2 mm in diameter and wide groove for beads 2.5 - 4 mm in diameter.

https://youtu.be/3cbCIxzXTbo

200-321-006	A CDEF	SET OF TWO FEET(narrow and wide)		BP
202-097-006	NOPQ	BEADING FOOT(narrow)	L1	BP
202-098-007	NOPQ	BEADING FOOT (wide)	L2	BP


3-WAY CORDING FOOT



The 3-way cording foot will hold one, two or three fine cords or threads. Because they are attached to the foot, the required design can be easily followed and the cords are perfectly placed. A variety of utility or decorative stitches can be sewn over the cords to couch them onto base fabrics. The choice of cord, thread and stitch are all contributory factors to the final effect.

200-345-006	A CDEF		H	BP
200-126-009	G			BP
202-085-001	NOPQ		H	BP

9-HOLE CORDING FOOT



This foot enables you to attach up to 9 cords together by threading the cords through the 9 holes on the foot.
Use soft cords (Diameter approximately 1 mm).

202-506-003	NOPQ		H2	BP

RIBBON/SEQUIN FOOT




As with beads and pearls it is now so much easier to attach ribbons and even sequins with the help of our special ribbon/sequin foot. This foot is designed with guides through which ribbon or strung sequins can be inserted and it will allow them to feed through evenly as you sew. Besides affixing the ribbon, a wide ladder stitch can be used with narrow ribbon to make an easy and functional drawstring.

https://youtu.be/zCwtSaC_Wbs

200-332-000	A CDEF		G	BP
202-090-009	NOPQ		RS	BP

TRANSPARENT BUTTONHOLE FOOT



For sewing buttonholes on tight areas such as cuffs and other areas where more freedom of movement is required than available with a sliding-type buttonhole foot.

https://youtu.be/53WA6FcVfcc

820-801-016	A CDEF		B	NP
202-082-008	NOPQ		B	BP

SLIDING BUTTONHOLE FOOT



For easy 4-step buttonholes on front loading machines. (Sliding buttonhole foot included as standard accessory on all sewing machines with a 1-step buttonhole function.)

200-123-006	G	REGULAR		NP
200-134-000	G	WITH BUTTON SIZER		BP

BUTTON SEWING FOOT



Quick and easy button sewing with the special button sewing foot. This foot has two bars that attach to the foot shank to provide extra stability and also has a textured, rubber sleeve to hold the button securely in place while sewing.

https://youtu.be/A6p6Sv9PH_8

200-136-002	A CDEF		T	BP
200-131-007	G			BP
859-811-008	NOPQ		T	NP

1/4 INCH SEAM FOOT



WITH GUIDE
Achieve a perfect 1/4" (6.5mm) seam allowance along the edge of the foot. Great tool for quilt piecing and topstitching.

WITHOUT GUIDE
Recommended for areas where the guides get caught, such as where the stitching allowance overlaps.

https://youtu.be/L2PEIaLkAHc

200-318-000	A CDEF	WITH GUIDE	0	BP
200-330-008	G			BP
859-814-012	NOPQ		0	NP
202-529-002	A CDEF	WITHOUT GUIDE	0	BP
202-313-001	NOPQ		0	BP

PROFESSIONAL GRADE 1/4INCH SEAM FOOT



Achieve perfect 1/4" seam allowance along the guide of the foot.
A great tool for patchwork piecing.


* To use this accessory, you will need the HP needle plate that comes with your sewing machine.

https://youtu.be/XrqyPjGr940

202-571-009	N*1 P*2 Q*3		HP-0	BP

*1 For use with HMC15000, SKYLINE S9 Ver. 2.00 or later and CM17
*2 For use with SKYLINE S7 Anniversary Edition, MC6700P, HMC9480QCP, HMC9410QC, HMC9450QCP, HMC9400QCP, CM8P, CM7P and CM6
*3 For use with MC6650

CLEAR VIEW 1/4 INCH SEAM FOOT



This foot allows you to sew 1/4 inch seam piecing, indispensable for quilt work, using the straight stitch needle plate.
The small single hole in both the plate and the foot ensures the most control over fabric possible and the least risk of threads or fabric getting caught in the feed dogs.
*Must be used with a straight stitch in center needle drop position.

202-216-003	NOPQ		OM	BP

CLEAR VIEW QUILTING FOOT AND GUIDE SET



An essential set for all quilters because it covers a range of quilting tasks through the attachment or removal of two fabric guides and the use of a clear view foot. Create accurate 1/4 inch seams with the 1/4 inch guide, or remove the guide to make a 1/8 inch seam for miniature piecing using the handy markings on the clear foot. To decorate your quilt, attach the center guide to ensure a neat “stitch in the ditch” for the perfect finishing touch.

Contents
- Clear view quilting foot
- 1/4 inch seam guide
- Ditch quilting guide

https://youtu.be/yz6Z5QzbYr8


200-449-001	A CDEF			BP
202-089-005	NOPQ		0V	BP



Simply attach the 1/4 inch fabric guide which aligns with the edge of the material to produce an accurate 1/4 inch seam with ease. The oval hole in the clear view foot allows for needle adjustment of up to 1 mm to create a scant 1/4 inch seam.




Add dimension to your quilt using the “stitch in the ditch” technique. The center guide attached to the foot spreads the seams to create perfect stitching in the ditch. Don’t stop with straight ditch stitching – experiment with decorative stitches for eye-catching embellishment.



Some quilting techniques may require you to sew with some fabric under the fabric guide, so use the clear view foot without a guide to help the fabric move easily under the foot. The markings on the foot act as a guide for 1/4 inch and 1/8 inch seams.

EVEN FEED FOOT WITH QUILTING GUIDE



The even feed foot, sometimes referred to as the walking foot, is designed with a set of feed dogs (teeth) which allow the fabric to feed without shifting and eliminates the problems of the underlayer of fabric coming up short. The even feed foot is great for topstitching which can be spoilt due to irregularity of stitching. Also includes metal quilting guide.

https://youtu.be/oEbfPismspk

200-309-008	A	REGULAR		BP
200-311-003	DEF			BP
200-310-002	G			BP
200-338-006	A	OPEN TOE		BP
200-339-007	DEF			BP

CONVERTIBLE EVEN FEED FOOT SET



The set includes even foot unit, open toe foot, ditch guilting guide and adjustable quilting guide bar.

https://youtu.be/XgUPgP9tE9E

214-516-003	A			BP
214-517-004	DE			BP
202-133-005	O Q			BP

DITCH QUILTING GUIDE AND ADJUSTABLE QUILTING GUIDE SET



A separate quilting guide bar and ditch quilting guide bar set is available for those who already own the even feed foot.

214-518-005	For even feed foot			BP

DITCH QUILTING FOOT



A very useful addition to the sewing room when wanting a perfectly straight "stitch in the ditch". The guide on the foot spreads the seams allowing you to stitch perfectly in the ditch, and is also useful when adding decorative top stitching along seams.

https://youtu.be/JYDu7xHIUEI

200-341-002	A CDEF		S	BP
202-087-003	NOPQ		S	BP

LONG QUILTING GUIDE BAR SET



This set includes two guides that can be attached to the left or right of the needle to create parallel rows of stitching approximately two times wider than rows made with the regular quilting guide. Just snap one of the guides into place at the back of the even feed foot and adjust the distance from the needle as required. The guides can also be inserted into a regular foot holder.

202-025-003	A CDEF NOPQ			BP

1/4 INCH RULER FOOT



The 1/4 inch ruler foot was specifically designed to use with quilting rulers. The key point of the foot is the 1/4 inch cup height which moves smoothly alongside the quilting ruler without allowing the ruler to slide over or under the foot. The needle drops a 1/4 inch away from the ruler to create the quilting line.

202-442-000	DE		QB-L	BP
202-441-009	A C OPQ		QB-S	BP

CONVERTIBLE FREE MOTION QUILTING FOOT SET



This set includes three feet that can be used with a variety of fabrics for free motion quilting projects. Select the most appropriate foot for the task and attach to the foot holder with a quick screw adjustment. The height of all feet can also be adjusted so they glide effortlessly over layers of fabric.

202-001-003	A C		QB-H	BP
202-002-004	DE		QB-L	BP
202-146-001*	NOPQ		QB-S	BP

* Please refer to the table below.

CLOSED-TOE FOOT



Convenient for lace and other fabrics that catch on an open toe, this general use foot is also good for holding the fabric in front of the needle.

OPEN-TOE FOOT



Also for general use, but with greater visibility around the needle to assist formation of a precise design.

CLEAR VIEW FOOT



The clear view foot moves smoothly over uneven layers such as fabric with cording or ribbon, and can also be used with zigzag stitches.

Ordinary sewing

Model \ Foot		Closed-toe foot (L)	Open-toe foot (L)	Clear-view foot (L)	Clear-view foot (M)
859A	HORIZON MC12000	• Feed dog: Down • Needle position: Left	• Feed dog: Down • Needle position: Left	• Feed dog: Down • Needle position: Left	• Feed dog: Down
858F	HMC8900QCP				
858G	HMC8200QC				
861A	MC9900				
861AL	MC9850				
862A	HORIZON MC15000				
862A2					
862F	HORIZON MC14000				
863AU	SKYLINE S7				
863F	SKYLINE S6				
863A	SKYLINE S5				
862A3	HORIZON Quilt Maker MC15000	• Feed dog: Down • Needle position: Left	• Feed dog: Down • Needle position: Left	• Feed dog: Down • Needle position: 1.0 • ZigZag needle plate	• Feed dog: Down
862SA	SKYLINE S9				
865C	HMC9450QCP				
865A	HMC9400QCP				
866A	MC6700P				
866D	MC6650				
867A	CM7P				
867C	CM8P				
867CL	CM6				
869A	HMC9480QCP				
869AL	HMC9410QC				
868	CM17				

Sewing application

Model / Foot/ Machine Setting		Closed-toe foot (L)						Open-toe foot (L)						Remarks
		Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	
859A	HMC12000	No	No	-	-	No	No	No	No	-	-	No	No	
861A	MC9900	No	No	-	-	No	-	No	No	-	-	No	-	Zigzag stitch1: Zigzag
861AL	MC9850	No	No	-	-	No	-	No	No	-	-	No	-	
862A/A2/A3	HMC15000	No	No	-	-	No	No	No	No	-	-	No	No	
862F	HMC14000	No	No	-	-	No	No	No	No	-	-	No	No	
862SA	SKYLINE S9	No	No	-	-	No	No	No	No	-	-	No	No	
863AU	SKYLINE S7	No	No	-	-	No	No	No	No	-	-	No	No	
865C	HMC9450QCP	No	No	-	-	No	No	No	No	-	-	No	No	
865A	HMC9400QCP	No	No	-	-	No	No	No	No	-	-	No	No	
867A	CM7P	No	No	-	-	No	No	No	No	-	-	No	No	
867C	CM8P	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
867CL	CM6	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
869A	HMC9480QCP	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
869AL	HMC9410QC	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
868A	CM17	No	Yes	No	No	No	No	No	Yes	No	No	No	No	

Model / Foot/ Machine Setting		Clear-view foot (L)						Clear-view foot (M)						Remarks
		Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	Straight Stitch 1	Straight Stitch 2	Straight Stitch 3	Straight Stitch 4	ZigZag Stitch 1	ZigZag Stitch 2	
859A	HMC12000	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
861A	MC9900	No	No	-	-	No	-	-	-	-	-	No	-	Zigzag stitch1: Zigzag
861AL	MC9850	No	No	-	-	No	-	-	-	-	-	No	-	
862A/A2/A3	HMC15000	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
862F	HMC14000	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
862SA	SKYLINE S9	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
863AU	SKYLINE S7	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
865C	HMC9450QCP	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
865A	HMC9400QCP	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
867A	CM7P	No	No	-	-	No	No	Yes	No	-	-	Yes	No	
867C	CM8P	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
867CL	CM6	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
869A	HMC9480QCP	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
869AL	HMC9410QC	No	Yes	No	No	No	No	No	Yes	No	No	No	No	
868A	CM17	No	No	No	No	No	No	Yes	Yes	No	No	Yes	No	

BOBBIN HOLDER FOR FREE QUILTING AND HAND-LOOK STITCHING



Couple the convertible FMQ foot with this handy bobbin holder preset with lower tension to make it even easier to achieve even tension control.

Part Number	Package	Compatible Models						
200-445-007	BP	3160QDC	SEWLA 5300QDC 5270QDC 5120QDC DC7100/DC6030 DC2015	M100QDC M200QDC 6050 6100	Sewist 740DC Sewist 780DC	MC6600P MC6500P	HMC12000	MC11000
		808F	809	812	814	846	859	860
		HMC8900QCP SE HMC8200QCP SE	MC9900 MC9850	HMC14000 HMC15000 SKYLINE S9	SKYLINE series	HMC9450QCP HMC9400QCP	MC6700P MC6650	HMC9480QCP HMC9410QC
		858	861	862	863	865	866	869
202-006-008	BP	2160DC 2030DC	TS100Q TS200Q	M30A				
		808*1	811	805				
202-433-008	BP	MC1000	CM8P CM7P CM6	CM17				
		819	867	868				

*1 excl. 3160QDC


FREE MOTION COUCHING FOOT SET



Enjoy embellishing your work with cords, strips and yarns by free-motion stitching. Zigzag stitch makes it easy to sew on any line or shape precisely. Two different feet are included to match material thickness.

202-110-006	A C	NOPQ		FMC	BP

BORDER GUIDE FOOT



Create evenly spaced rows of decorative stitching with this border guide set. The horizontal red line matches up the needle drop of each row and the vertical red lines allow accurate positioning of one row with another.

https://youtu.be/jkEzLKPsT0E

200-434-003	A CDEF			BP
202-084-000	NOPQ		FB	BP

BUTTONHOLE STABILIZER PLATE



With the buttonhole foot R attached to the buttonhole stabilizer plate, the machine feeds various kinds of fabric and uneven layers more smoothly instead of eating the fabric or causing the needle to stick in position.

https://youtu.be/Kyay3rGeJSo

200-428-004	A CDE			BP


LARGE BUTTONHOLE FOOT AND STABILIZER PLATE



The size of a buttonhole is automatically set by placing a button in the rear of automatic buttonhole foot LR. The button holder of the foot takes a button sizes of 2.5 cm (1″) to 5.0 cm (2″) in diameter. The stabilizer plate holds and supports the fabric so it is very helpful when sewing buttonholes over the hem of thick fabrics.

202-199-009	NOPQ		LR	BP


RIBBON SEWING GUIDE



Create original ribbons by adding decorative stitching or lettering. The guide's design ensures easy attachment and automatic centering, while the transparent stabilizer bar provides perfect control. Add originality to projects and make the most of your machine's decorative stitches.

200-444-408	A CDEF NOPQ			BP

FRINGING FOOT



The fringing foot is designed for fagoting and sewing thread fringe. This decorative touch is especially effective in applique work. The foot has a small divider in it so that when you make a wide zig-zag stitch, you will wind up with a very large loop. Then simply cut the loop close to one side of the stitches. whichever side you want the fringe to be free on, and you'll have made your own thread fringe!

200-016-108	A C			CB
200-017-109	DEF			CB

EDGE GUIDE FOOT



The guide of this foot aligns edges/seams of fabric so that neatly parallel edge stitching and topstitching can be achieved with ease. Adjust the guide by turning the screw to match the edge/seam precisely.

https://youtu.be/RA7rexcSbDY

202-147-002	A CDEF		SE	BP
202-100-003	NOPQ		SE	BP

CIRCULAR ATTACHMENT



The circular attachment is the ideal attachment for sewing circles using either straight stitch, zigzag, decorative stitches or even lettering. Circles up to 26 cm in diameter are stitched perfectly using this popular attachment so essential for craft and decorative work.

https://youtu.be/eelA3M5_W-Q

Part Number	Package	Remarks	Compatible Models						
202-106-009	BP	Easy Set Bobbin System is not supported	Harmony 4045/4052	6019QC 6125QC	FD216/212/206 Sew Mini Platinum	M30A	3160QDC 2160DC 2030DC g+i	4120QDC 5120QDC 4300QDC	TS100Q TS200Q
			502	503	508	805	808A/D/J/F/S/X	809A/AS	811A
			6260QC	MC6600P MC6500P	HMC8900QCP HMC8200QC	HMC12000	MC11000		
			845	846A/F	858F/G	859A	860		
202-107-000	BP	Easy Set Bobbin System is not supported	MS5027 MS5021 CS5031 SC5021	Easy Jeans 22 My Style 22	Jem Gold	Jem Gold2	MyExcel 4014/4018 4023/4123	HD2200 MyExcel 18/23	Décor 5124 5024 5018
			505	654	660	661	751	753	757
			Jem Platinum	DC4030	MC8000	MC9000	MC5700 MC5000	MC3500/3000	MC4800
			806	807	830	832	834	840	841
			DC4100	DC3018 DC3030 DC3060 DC8350	MC5200	MC4900	MC10000 MC10001	MC9500	MC9700
			842	843	844	847	850	853	857
202-135-007	BP	Metal Needle Plate with Easy Set Bobbin System is required	5300QDC 5270QDC SEWLA	M50QDC M100QDC M200QDC	Sewist 780DC 740DC	MC1000	HMC8900QCP SE	HMC8200QCP SE	MC9900 MC9850
			809AU/AU2/F	812	814	819	858F2	858G2	861
			HMC14000 HMC15000 SKYLINE S9	SKYLINE S3/S5/S6/S7	HMC9450QCP HMC9400QCP	MC6700P MC6650	HMC9480QCP HMC9410QC	CM8P CM7P CM6	CM17
			862A2/A3/S	863	865	866	869	867	868

BOBBIN HOLDER (high tension for embroidery use)



This bobbin holder creates easy-to-adjust thread tension when embroidering with non-Janome bobbin thread. The bobbin holder is marked with a YELLOW dot for identification.

202-134-006	A*1 B*2 N*3 O			BP
627-569-704	B*4			NP

*1 excl. MC1000 *2 MC350E only *3 excl. CM17 *4 For use with MC300E, MC200E

QUILT BINDER SET



Use the quilt binder set to produce 1/2 inch binding which can handle quilt fabric and other thick fabrics. Adjust the two upper screws to align the binding's top and bottom folds with the needle for extra precision. The set creates straight line binding for large quilts and also adds an eye-catching accent to any small items such as placemats and hot pads.

846-421-007	A*1C			BP
202-211-008	NOPQ		W1	BP

*1 For use with MC11000 only.

FLOWER STITCHER



Even when using sewing machines without a large number of stitches, this attachment will allow you to produce unique and pretty flower designs and also eyelets, with ease.

202-261-003	DEF			BP

OVERLOCKER ACCESSORIES

Janome overlockers are known for their ease of use and beautiful serging results. Specialized overlocker feet and accessories are designed to give you the effect you want even on stretchy and thin fabrics.

CORDING FOOT (A)



With the rolled hem facility on your machine you can make great use of the cording foot A. This foot is ideal for bridal and evening wear and allows you to insert fine fishing line while rolling the edge of your material giving you a beautiful firm but flexible finish.

202-034-005	H		BP

CORDING FOOT (B)



Used in conjunction with the narrow hem, the cording foot B allows you to insert decorative cording as you stitch. This will give fine beautiful finished edges to table and other linens.

202-035-006	H		BP

TAPING FOOT WITH REEL




This attachment consists of a taping foot and a tape reel and is useful when sewing garments in knit or stretch fabric. It will help to feed seam binding tape when sewing shoulder seams and armholes to prevent stretching in these areas.

202-033-004	H*1		NP

*1 excl. 234, 234D, AT2000DP

BLIND STITCH FOOT



Blind hemming is never an easy technique and demands practice and patience. It is possible to use your overlocker to blind hem and the blind stitch foot is equipped with a guide to help keep your stitching straight.

https://youtu.be/_JLGGCpytX0

202-040-004	H		BP

ELASTIC GATHERING ATTACHMENT



Stitching on elastic can sometimes be a little tricky especially when you have to stretch your elastic to size. The elastic foot helps make this technique a little easier to handle.

202-523-006	H*1		BP
202-037-008	H*2		BP

*1 excl. ML134D, ML234D, ML534D
*2 excl. ML134D, ML234D, ML534D, ML454D Sailing Line, ML554D Sailing Line, ML654D Sailing Line

BEADING FOOT



The beading attachment comprises a special sewing foot and guide enabling you to sew strung beads onto the edge of your fabric. Especially attractive for bridal wear.

202–041–108	H*1		BP

*1 excl. 134D, 234, 234D, 534D

PIPING FEET



If ready made piping is not available or if you just want to make your own, the piping foot is ideal, making the task quick and easy. The piping foot is available in two sizes: 1/8 inch and 3/16 inch.

202–039–000	H*	SET OF TWO FEET (1/8 inch and 3/16 inch)	BP

*3/16 inch foot not compatible with 134D, 234, 234D, 534D

CLOTH GUIDE



As its name suggests, this guide helps keep your seams straight as you sew. Especially useful on flatlock seams and other seams where the knife is lowered.

202–525–008	H*1		BP
202–038–009	H*2		BP

*1 excl. ML134D, ML234D, ML534D
*2 excl. ML134D, ML234D, ML534D, ML454D Sailing Line, ML554D Sailing Line, ML654D Sailing Line

GATHERING ATTACHMENT



This attachment creates wonderful even gathers. Especially useful when sewing large amounts of fabric, i.e. bed linens and bridal gowns. With the help of this super attachment you can also gather and sew onto a flat piece of fabric in one easy operation.

https://youtu.be/TARt9Xh536s

202-036-100	H*1		BP

*1 excl. 134D, 234, 234D, 534D

WASTE CHIP BOX



202-456-409	H*1	1/pkg	CB
202-456-708	H*1	10/pkg	CB
202-456-801	H*1	20/pkg	CB

*1 For use with 8002D, 9102D, ML454D

COVER STITCH MACHINE ACCESSORIES

Janome has developed a number of accessories to use with the CoverPro series of coverstitch machines.
These accessories make it even easier to create beautiful garments from knits and other stretch fabrics.


CLEAR VIEW COVER STITCH FOOT



The clear view foot gives you a better view of what you are sewing. It is especially useful for decorative topstitching and can also be used with other attachments such as the hemming guide to match up the end of a hem seam with its start for a beautiful finish. Handy markings on the front edge of the foot correspond with needles for perfect stitch alignment.

795–818–107	I	for 3 needles	BP
795–821–103	I	for 2 needles	BP

HEM GUIDE



Type 1
The Hem Guide Type 1 folds over a consistent width of fabric for creating cover stitch hems, resulting in straighter hems. The Hem Guide also aids in attaching lace in garment and home decor applications. The guide allows you to create 5/8 inch - 1 3/4 inch hems.

Type 2
The Hem Guide Type 2 folds over a consistent width of fabric for you, making it easy to form hems, cuffs and other finished edges.
When sewing the hem of a tubular item such as a skirt, you can press the release button as you near the finish to release the guide and then finish the rest of the hem.

795–803–109	I	Type1	BP
795–839–104	I	Type2	BP

ELASTIC GATHERING ATTACHMENT



The elastic gathering attachment allows easy attachment of elastic tape for waists and cuffs, which is especially useful for making undergarments and children's clothing. The wide workspace of the CoverPro means you can even add a bit of elastic in the middle of a garment, for example, to the waist of a dress.

795–816–105	I	narrow (6 - 8.5 mm)	BP
795–817–106	I	wide (9 - 13.5 mm)	BP

CENTER GUIDE FOOT



The center guide foot is used for lining up the center of a two or three-needle stitch with a previously sewn seam. This attachment is especially useful on sportswear and allows you to tack down already sewn seams, give extra strength to seams that come under strain or simply give a finished decorative effect.

795–819–108	I	for 3 needles	BP
795–820–102	I	for 2 needles	BP

ADJUSTABLE SEAM GUIDE



This seam guide is used to sew perfectly placed seams with accurate spacing between the lines.

795–806–102	I		BP

TAPE BINDER



The tape binder is used for finishing and covering the raw edges of stretch fabrics. The binder folds the fabric you wish to use as tape around the raw edge as you sew, allowing you to make beautifully finished necks and arm holes and bind any raw edge with ease.

Contents
- Binder and binder plate
- Binder foot
- Screw

https://youtu.be/ntyfWtXfLRs

795-838-103	I	for 3 needles (32 mm/8 mm)	BP
795-844-009	I	for 3 needles (42 mm/12 mm)	BP
795-840-108	I	for 2 needles (32 mm/8 mm)	BP
795-843-008	I	for 2 needles (42 mm/12 mm)	BP

STEP 1



Insert the fabric to be used as tape through the tape guide.

STEP 2



Guide the tape through the tape guide by gently pulling the end with the tip of the tweezers.

STEP 3



Pull out the end while using the tweezers tip to help insert the tape between the upper and lower guides at the end of the tube, and then slide the tape under the presser foot.

TAPE BINDER AND BINDER FOOT WITH GUIDE



This binder set can be used to create a beautiful binder finish like on ready-made Tshirts.
It is the most popular set among optional attachments for cover stitch sewing machines.

202–327–008	I	Tape Binder (Double Fold 8mm) and Binder Foot with Guide (finished with 8 mm for 32 mm tape) *Use only the right needle.	BP
202–328–009	I	Wide Tape Binder (Double Fold 12 mm) and Binder Foot with Guide (finished with 12 mm for 42 mm tape) *Use only the right and center needles.	BP

BINDER FOOT WITH GUIDE

This foot gives you a better view and guide is added for ease of use.



796–402–004	I		NP

TAPE STAND



As the tape can be supplied at the same height to the tape guide of the tape binder by using this tape stand with the tape binder, it feeds smoothly even when using very soft fabric allowing beautiful finishes to be achieved.

202–323–004	I		BP

BIAS TAPE GUIDE AND BELT LOOP FOLDER



This attachment can be used in two ways: as a "Bias Tape Guide" that can guide bias tape (single fold) and sew it on to knit fabric, and as a "Belt Loop Folder" that can make belt loops from fabric tape. This attachment is useful for creating various types of sewing work.

202-464-008	I		BP

PROFESSIONAL OVERLOCK and COVER STITCH MACHINE ACCESSORIES

Ready to wear details and decorative accents are easily duplicable with Janome's combined overlock and cover stitch machine accessory range.
Create the look you want the way you want it.


GATHERING FOOT



With the gathering foot it's easy to create the gather you want. The bottom fabric is gathered, seamed and overcast to a flat top fabric all in one easy operation.

200-807-104	M		G	NP


BLIND STITCH FOOT



The adjustable guide on the blind stitch foot ensures that any weight of fabric is trimmed, overlocked and invisibly hemmed in one quick step. Change the stitch and it becomes a wonderful guide for decorative pintucks, lacy fagoting or flatlocking as seen in ready to wear.

200-806-103	M		D	BP


BEADING FOOT



Beaded trims add that special touch to any project. Deep grooves on the bottom of the pearl foot guide strands of pearls or beads perfectly into place and are secured with a flatlock stitch.

200–809–106	M		P	BP

BIAS TAPE FOOT



This adjustable foot allows you to attach 10 mm to 40 mm wide bias tape. Creating the look you want has never been easier.

200–810–100	M		M	BP


BELT LOOP FOOT



Easily duplicate the belt loops found in the garment industry using a wide or triple cover hem stitch. This foot automatically folds under bias strip edges for belt loops, decorative accents, button loops, narrow straps, etc. The possibilities are limited only by your imagination.

200–808–105	M	coverhem only	L	NP


COVER HEM FOOT, LACE ATTACHMENT, HEM & WRAPPED EDGE GUIDES



This set will save you a lot of time and trouble by making light work of hems. It offers three different ways to finish the edges of fabric, whether it's making a basic hem, decorating a hem with lace or creating a bias tape finish. Use for a multitude of projects.


200–801–407	M	coverhem only		BP

COVER HEM FOOT AND LACE ATTACHMENT




Efficient and clever, this guide folds perfect 6 mm (1/4 inch) edges. At the same moment it's hemming, it attaches lace or trim placed underneath. Use with the cover hem foot.

COVER HEM FOOT AND HEM GUIDE



Hem edges evenly without measuring, pinning or pressing. Simply insert the fabric and the guide automatically folds and creates a 2.5 cm (1 inch) hem. Use with the cover hem foot.

COVER HEM FOOT WRAPPED EDGE GUIDE




This guide creates the look of bias tape. In addition, it also attaches pre-made bias tape. Hem edges evenly without measuring, pinning or pressing and duplicate ready-to-wear details easily.

HIGH SPEED MACHINE ACCESSORIES

Janome high speed sewing machines are built for high quality stitches at professional speeds, including the specialized accessories and presser feet.

ULTRA GLIDE FOOT



Molded from a special resin for easy sewing of fabrics that might stick to a metal foot, the ultra glide foot is perfect for sewing ultra suede, vinyl and imitation leather.

767-404-028	J			BP

HD ROLLER FOOT



An innovative new foot that can smoothly control materials such as leather and vinyl which are prone to catch. When using this foot, the base of the needle is clearly visible, making your work easier.

202-418-007	A C J NOPQ			BP

NARROW STRAIGHT STITCH FOOT



This foot is only 2 mm wide from the needle drop to the edge of the foot making it convenient for narrow topstitching especially on areas such as collars and pockets.

767–406–019	J			BP

STRAIGHT STITCH FOOT AND NEEDLE PLATE FOR FINE FABRICS



The specialized foot and needle plate work together to provide optimal feeding of fine fabrics.

767–405–007	J			BP

VELVET FOOT



The velvet foot only slightly touches the needle plate when the foot is lowered to obtain perfect sewing without bruising the specialty fabrics.

767–407–102	J			NP

1/4 INCH SEAM FOOT



The side guide allows you to sew a 1/4 inch seam allowance quickly and accurately. Great for piecing quilts and topstitching.

767–820–105	J			BP

DITCH QUILTING FOOT



Use this foot for perfect placement when stitching in the ditch. The guide follows the seamline keeping the stitch line perfectly straight.

767–824–109	J			BP

HEMMER FOOT



The hemmer foot can be sewn into the rolled hems with constant width.

761–172–004	J			NP

EVEN FEED FOOT



The even feed foot walks over fabric to assist with smooth feeding. Fabric can be sewn without puckering as the fabric is gripped and fed by both the upper and lower feed dogs. This foot has been specially designed for durability and to work with the high speed straight stitch machines.

767-403-016	J			BP

DARNING FOOT WITH DARNING PLATE



The spring loaded foot can be used for free motion stippling, quilting and free form monogramming. The darning plate is placed over the existing needle plate to cover the feed dogs.

767-409-012	J*1	Up-down type foot and darning plate		BP
767-827-009	J*1	Adjustable type foot and darning plate		BP
767-839-015	J*2	Up-down type only	PD-76	NP
767-828-011	J*2	Adjustable type only	PD-76	NP

*1 excl. HD9 QCP
*2 For use with HD9 QCP


TAPING FOOT



Use this foot for attaching tape to the edge of fabrics. Adjust the needle drop position with the thumb screw. Guide the fabric with the left hand and tape with the right hand.

767-412-018	J			BP

RIGHT BI-LEVEL FOOT



By aligning the fabric edge with the presser foot step, you can achieve a clean 2 mm edge stitch. It is ideal for topstitching.

202-424-006	J			NP

NARROW HINGED FOOT (RIGHT SIDE)



This is a narrow (5 mm) single-sided presser foot. It is useful for sewing while avoiding zipper teeth or piping cord.

202-425-007	J			NP

ADJUSTABLE ZIPPER FOOT



This foot can be set to sew on each side of the zipper by adjusting the position of the foot and tightening the thumb screw. Also great for sewing close to piping.

767-408-011	J			BP

CONCEAL® ZIPPER FOOT



This foot can be used for placement of invisible zippers. The grooves underneath accommodate the zipper teeth and hold them in place while you stitch.

767-410-016	J			BP

CONCEAL is a registered trademark of YKK Corporation.


ADJUSTABLE SEAM GUIDE



This seam guide is used to sew perfectly placed seams with accurate spacing between the lines.

767-411-017	J			BP

1/4 INCH RULER FOOT SET




The 1/4 inch ruler foot is specifically designed to use for ruler work. The key point of the foot is the 1/4 inch cup height which moves smoothly alongside the quilting ruler without allowing the ruler to slide over or under the foot. The needle drops a 1/4 inch away from the ruler to create the quilting line.

767-441-005	J*1	Foot holder with 1/4 inch ruler foot and needle plate	QC	BP
767-440-004	J*2	1/4 inch ruler foot only		BP

*1 excl. HD9P QCP
*2 For use with HD9 QCP

CONVERTIBLE FREE MOTION QUILTING FOOT SET




An exciting free-motion quilting presser foot set for the straight stitch machine. The feet are streamlined for improved visibility and a darning plate is also provided for table top free-motion quilting. The industrial construction reduces vibration and provides professional-level durability.

767-433-004	J*1	Foot holder with close-toe foot, open-toe foot and darning plate	QC	BP
767-433-129	J*2	Foot holder with close-toe foot	QC2	NP

*1 excl. HD9 QCP
*2 For use with HD9 QCP



For general use and especially well suited for lace and other catchable fabrics.



Also for general use, but the open-toe design provides greater visibility around the needle to assist in the formation of a precise design.

FREE MOTION FRAME QUILTING FEET SET



This set has been specifically designed to support quilters who use quilting frames with the high speed straight stitch machines. The set consists of a 1/4 inch ruler foot and an open-toe frame quilting foot.

767-434-005	J			BP



This open-toe foot has an opening that faces sideways to provide a clear view of your work when standing at the handles of a quilt frame.



The 1/4 inch ruler foot has a high heel and 1/2 inch diameter for free-motion quilting with 1/4 inch thick quilt rulers and long arm quilting templates.

MISC. ACCESSORIES

From basic accessories like needles, bobbins and bobbin cases to items such as spool stands which expand the creative possibilities of your sewing machine, Janome is dedicated to providing you with high quality accessories that are easy to use.



NEEDLES

No matter how advanced or sophisticated the sewing machine has become, the basic principle of selecting the correct needle to be used must still apply.
Quite simply, the finer the fabric the finer the needle, the heavier the fabric the heavier the needle, but whether fine or heavy it is important to replace your needles regularly.

ASSORTED SEWING NEEDLES



Contents
- Blue Tip needle x 1
- #75/11 regular type needle x 2
- #90/14 regular type needle x 2

200–135–001	ABCDEFG	NOPQ		BP



Contents
- Blue Tip needle x 2
- Purple Tip needle x 1
- Red Tip needle x 1
- Twin needle x 1

859–856–005	A CDE F	NOPQ		NP



Contents
- Blue Tip needle x 1
- #75/11 regular type needle x 2
- #90/14 regular type needle x 1
- Twin needle x 1

820–827–007	A CDE F	NOPQ		NP

BLUE TIP NEEDLES



The Blue Tip needle, a Janome exclusive, is a size #75/11 needle and is our best "all purpose" needle for both machine embroidery and general sewing including the sewing of knit fabrics.
It features a ball point tip* which helps to create neat and tidy stitches.

200-346-007	ABCDEFGH	NOPQ		BP

PURPLE TIP NEEDLES



The purple tip needle is a #90/14 size needle that prevents skipped stitches in heavy fabrics including knits in ordinary sewing and when embroidering. It features a ball point tip* which helps to create neat and tidy stitches.

Uses -
· Embroidery with high density designs and/or thick fabrics
· Use with fluffy threads like cotton
· Quilting through multiple layers
· Normal sewing for shrink fabrics such as knits and tricot or synthetic fabrics such polyester

202-122-001	ABCDEFGH	NOPQ		BP

BALL POINT NEEDLES



This pack contains 2 size #11/75 and 3 size #14/90 ball point needles. The ball point needle is made especially for stretch and elastic materials and knit fabrics, and is also ideal for overlock machines.

784-860-100	ABCDEFGH	NOPQ		NP

*The ball point tip is especially useful when sewing knitted fabric and synthetic fabric as it prevents fabric thread breakage.


RED TIP NEEDLES



The red tip needle is a #90/14 size needle and is for general sewing and for embroidery of medium to heavy fabrics.

990–314–109	**ABCDEFG**	**NOPQ**		BP

TOP STITCH NEEDLES




The top stitch needles has a large eye and a wide groove to accommodate heavy top stitching thread.

990–500–000	**ABCDEFG**	**NOPQ**	Assorted #11/75 & #14/90 (5/pkg)	NP
990–511–000	**ABCDEFG**	**NOPQ**	#11/75 (5/pkg)	NP

CUTWORK NEEDLE SET



This set contains 4colorcoded needles with the following cutting angles:



202–200–004	A*1 B*2	N*3		BP

*1 For use with MC1000 *2 For use with MC100E *3 For use with CM17, SKYLINE S9, HMC15000 and HMC14000

CUTWORK NEEDLE HOLDER



The Cutwork Needle Holder allows you to safely replace the Cutwork needles without injuring yourself with the tip of the Cutwork needle.

862–402–301	A*1 B*2	N*3		NP

*1 For use with MC1000 *2 For use with MC100E *3 For use with CM17, SKYLINE S9, HMC15000 and HMC14000

FM725 CHANGEABLE NEEDLE UNIT



This item is multiple needle units to deal with a variety of felting situations.

725–822–004	K		BP

FM725 FIXED FIVE FELTING NEEDLE UNIT



725–607–104*	K		NP

* In a plastic case

FM725 FIXED SINGLE FELTING NEEDLE UNIT



725–810–009*	K		NP

* In a plastic case

FM725 NEEDLE REFILLS



725–811–000*	K	3/pkg (single needle refills)	NP
725–829–001*	K	5/pkg (single needle refills)	NP
725–807–003*	K	10/pkg (single needle refills)	NP
725–831–006*	K	10/pkg (fine needle refills)	NP

* In a plastic case

Model	Needle Type	Part Number	Category	Package
Ball Point for Sewing machines and Overlockers	HA15x1SP Ball point assorted (5/pkg)	990–200–000	ABCDEFGH NOPQ	Needle case
	HA15x1SP Ball point size 75/11 (5/pkg)	990–211–000	ABCDEFGH NOPQ	Needle case
	HA15x1SP Ball point size 90/14 (5/pkg)	990–214–000	ABCDEFGH NOPQ	Needle case
CoverPro	Assorted 80/12 & 90/14 (5/pkg)	795–802–108	I	BP
	Size 80/12 (5/pkg)	795–807–103	I	BP
	Size 90/14 (5/pkg)	795–808–104	I	BP
1600P HD9P HD9 QCP	HLx5 size 65/9 (10/pkg)	767–811–000	J	BP
	HLx5 size 75/11 (10/pkg)	767–812–001	J	BP
	HLx5 size 90/14 (10/pkg)	767–813–002	J	BP
	HLx5 size 100/16 (10/pkg)	767–814–003	J	BP
1600P-DB 1600P-DBX	DBx1 size 65/9 (10/pkg)	767–807–003	J	BP
	DBx1 size 75/11 (10/pkg)	767–808–004	J	BP
	DBx1 size 90/14 (10/pkg)	767–809–005	J	BP
	DBx1 size 100/16 (10/pkg)	767–810–009	J	NP
MB-4 MB-4s MB-7	Embroidery needles (10/Pkg)	770–811–000	L	Paper bag

OTHER ACCESSORIES

UNIVERSAL TABLE STAND



Machines can sit in the table stably, with an insert plate filling the remaining space to provide a large, flat sewing surface. Not only is there more work space, but the table helps sewing progress smoothly by preventing excess fabric from dangling down and interfering with your work. It accommodates the knee lifter, contains a drawer and offers a generous formica-finished sewing surface.

494–710–003	A C N*1 OP*2 Q	WITH DRAWER	CB
494–708–101	A C N*1 OP*2 Q	WITHOUT DRAWER	CB
494–701–115	J*3	FOR HIGH SPEED STRAIGHT STITCH MODELS	CB
494–720–006	J*4	FOR HIGH SPEED STRAIGHT STITCH MODELS	CB
494–719–002	N*5 P*6	FOR CONTINENTAL SERIES	CB

★1 excl. CM17
★2 excl. CM8P, CM7P and CM6
★3 excl. HD9 QCP
★4 For use with HD9 QCP
★5 For use with CM17
★6 For use with CM8P, CM7P and CM6

FOR HIGH SPEED STRAIGHT STITCH MODELS

494–701–115



FOR CONTINENTAL SERIES

494–719–002




DRAWER




494-708-204	A C N*1OP*2Q		CB

*1 excl. CM17 *2 excl. CM8P, CM7P, CM6

INSERT PLATE





The insert plate fills the gap around the machine, ensuring a flush, flat work area that keeps fabrics from snagging or shifting during sewing. It should be used with the Universal Table Stand, and you can choose from various sizes of insert plates to fit your sewing machine.

494-401-101	C*1	N*2P*3	FOR HORIZON SERIES	CB
494-402-102	C*4		FOR MC6600P and MC6500P	CB
494-403-103	A		FOR MC11000 and MC11000SE	CB
494-405-105		O	FOR MC9900	CB
494-406-106		N*5	FOR HMC15000	CB
494-407-107		N PQ	FOR SKYLINE and ATELIER SERIES	CB
494-408-108		P*6	FOR HMC9450 and HMC9400	CB
494-712-005		P*7	FOR MC6700P	CB
494-411-104		N*8P*9	FOR CM17 and CM7P	CB

*1 For use with HMC7700QCP only
*2 For use with HMC12000only
*3 For use with HMC8900QCP, HMC8200QC only
*4 excl. HMC7700QCP
*5 For use with HMC15000, HMC14000 only
*6 For use with HMC9480QCP, HMC9410QC, HMC9450QCP, HMC9400QCP only
*7 For use with MC6700P only
*8 For use with CM17 only
*9 For use with CM8P, CM7P, CM6 only

SIDE TABLE STAND UNIT



This table is useful for any type of sewing. Place embroidery machines or overlockers on the table to secure more work space. Can also be used in combination with the universal table stand as a quilt side table and/or just to provide extra space for ironing, cutting fabrics or other activities. Comes with side pockets.

494-709-009	ABCDEFGHIJKLMNOPQ		CB

CLOTHSETTER



The clothsetter has taken the guesswork out of positioning your embroidery. It ensures perfect placement of single designs on your project and multiple designs within the same hoop or between multiple hoopings. This dual function tool converts quickly into a large extension table providing extra support for all your large sewing and quilting projects.

850-402-005	A*1		CB
860-401-005	A*2		CB
859-439-101	B*3 N*4 O*5		CB

*1 For use with 10000 *2 For use with MC11000 *3 For use with MC550E, MC500E, MC450E and MC400E
*4 For use with HMC15000 and HMC12000 *5 For use with MC9900

BRUSH-OUT EMBROIDERY KIT



Brush-out embroidery uses yarn which can be fluffed up after sewing to create a soft, three-dimensional finish. The Brush-Out Embroidery kit includes a special foot and brush and is designed for use with the Brush-Out Embroidery Design CD-ROM from Stitchitize.

200-383-006	A*1 B*2		BP

*1 excl. MC1000 and SKYLINE S3
*2 For use with MC350E, MC300E and MC200E only

EMBROIDERY COUCHING FOOT SET




The Embroidery Couching Foot Set includes 2 feet for using different yarn weights, a yarn guide arm that attaches to the extra spool pin hole on the top of the machine, plus instructions on How-to-use this foot set.

https://youtu.be/AQrEi96EdQg

202-316-004	B*1		PC-A/PC-B	BP
202-297-008	N*2		PC-1/PC-2	NP

*1 excl. MC350E, MC300E and MC200E
*2 excl. HMC12000

LARGE EMBROIDERY DESIGN COLLECTION



Large Embroidery Collection comes with a USB flash drive containing 30 embroidery designs.

202-295-006	B*1 N*2		CB

*1 excl. MC400E, MC350E, MC300E, MC200E, MC100E
*2 excl. SKYLINE S9

CUTWORK EMBROIDERY KIT




Let's enjoy making items like patches and coasters using the cutwork feature on your embroidery machine.

For more information,
please refer to the JANOME BULLETIN.

202-543-002	A*1 B*2 N*3		CB

*1 For use with MC1000 *2 For use with MC100E *3 For use with CM17, SKYLINE S9, HMC15000 and HMC14000

ACUSTITCH



AcuStitch arranges stitch data in succession, helping you to create embroidery data for various shapes.

For more information,
please refer to the JANOME BULLETIN.

202-532-008	A*1 B*2 NO		Cardboard sleeve

*1 For use with MC1000
*2 excl. MC350E, MC300E, MC200E

EMBROIDERY THREAD

No.1	200-920-001	CB



No.	Color
001	WHITE
002	BLACK
003	GOLD
201	PINK
202	VERMILION
203	ORANGE
204	YELLOW
205	DARK BROWN
206	BRIGHT GREEN
207	BLUE
208	PURPLE
209	PALE VIOLET
210	PALE YELLOW
211	PALE PINK
212	PEACH
213	BEIGE
214	BROWN
215	WINE RED
216	PALE SKY
217	SKY
218	YELLOW GREEN
219	OLIVE GREEN
220	SILVER GRAY
221	GRAY
222	OCEAN BLUE
223	BEIGE GRAY
-	BOBBIN THREAD

No.2	200-920-104	CB



No.	Color
224	BAMBOO
225	RED
226	GREEN
227	PALE AQUA
228	BABY BLUE
229	POWDER BLUE
230	BRIGHT BLUE
231	SLATE BLUE
232	NAVY BLUE
233	SALMON PINK
234	CORAL
235	BURNT ORANGE
236	CINNAMON
237	UMBER
238	BLOND
239	SUNFLOWER
240	ORCHID PINK
241	PEONY PURPLE
242	BURGUNDY
243	ROYAL PURPLE
244	CARDINAL RED
245	OPAL GREEN
246	MOSS GREEN
247	MEADOW GREEN
248	DARK GREEN
249	AQUAMARINE
-	BOBBIN THREAD

No.3	200-920-207	CB



No.	Color
250	EMERALD GREEN
251	PEACOCK GREEN
252	DARK GRAY
253	IVORY WHITE
254	HAZEL
255	TOAST
256	SALMON
257	COCOA BROWN
258	SIENNA
259	SEPIA
260	DARK SEPIA
261	VIOLET BLUE
262	BLUE INK
263	SOLA BLUE
264	GREEN DUST
265	CRIMSON
266	FLORAL PINK
267	WINE
268	OLIVE DRAB
269	MEADOW
270	MUSTARD
271	YELLOW OCHER
272	OLD GOLD
273	HONEY DEW
274	TANGERINE
275	CANARY YELLOW
-	BOBBIN THREAD

BOBBINS



These plastic bobbins can be used for Janome home use models. Replace any bobbin that is worn, cracked, or nicked; a damaged bobbin can cause sewing problems.

102-261-103	ABCDEFG NOPQ	PLASTIC BOBBINS (single)	NP
200-122-005	ABCDEFG NOPQ	PLASTIC BOBBINS (10/pkg)	BP
202-544-014	ABCDEFG NOPQ	PLASTIC BOBBINS (500/pkg)	CB
202-545-015	ABCDEFG NOPQ	PLASTIC BOBBINS (20 boxes of Part No. 202-544-014)	CB
761-094-115	J*1	METAL BOBBIN (single)	NP
767-860-107	J*2		NP
761-094-104	L*3		NP
770-591-001	L*4		NP

*1 excl. HD9P and HD9 QCP *2 For use with HD9P and HD9 QCP *3 For use with MB-4 *4 excl. MB-4

PINK BOBBIN



200-277-062	ABCDEFG NOPQ		NP

BLUE BOBBIN



200-277-084	ABCDEFG NOPQ		NP

BOBBIN CASES



Front and side-loading machines require a separate bobbin case which also acts to control the bobbin tension. Although not generally recommended, more advanced sewists like to adjust the lower tension to accommodate special threads, such as when using a handwound bobbin of thicker decorative thread. You can avoid tricky tension adjustments afterwards by having an extra bobbin case on hand specially adjusted for thicker or thinner threads.

647-515-006	G	HOUSEHOLD SEWING	NP
767-510-006	J*1	HIGH SPEED SEWING	NP
767-595-005	J*2		NP
770-578-002	L*3	MULTI-NEEDLE EMBROIDERY	NP
770-590-000	L*4		NP

*1 excl. HD9P and HD9 QCP *2 For use with HD9P and HD9 QCP *3 For use with MB-4 *4 excl. MB-4

SPOOL HOLDER (SPECIAL)



Have you had times when you're putting a long spool on the horizontal spool stand but the spool pin is short and the spool holder can't be attached?
Janome has come up with a solution for this by developing a new spool holder.
The "Spool Holder (special)" is specifically for long spools.

202-233-006	ABCDEFG	NOPQ		BP

REMOTE THREAD CUTTING SWITCH UNIT



Cut threads by foot after sewing. A useful tool for when both hands are occupied, allowing you to focus on the fabric. Can also be helpful when the machine is placed on a quilt frame, making your work more efficient.

858-418-008		OP*[1]Q		CB

*1 excl. MC8200QC
★ Should be used with the large foot controller only. Not included in set (sold separately).

LARGE FOOT CONTROLLER



Now bigger and easier to use. As rubber covers the back face, it won't slip and is simple to operate. The larger surface facilitates a greater level of control.

858-417-007	A CD	NOPQ		CB

PIN CUSION



202-256-005	AC*1DG*2N*3OP*4Q*5		NP

*1 excl. MC6600P and MC6500P *2 For use with 1612/1622 and 1712/1722 *3 excl. CM17
*4 excl. MC6700P, CM8P, CM7P and CM6 *5 excl. MC6650



202-256-027	AC*1DG*2N*3OP*4Q*5		NP

*1 excl. MC6600P and MC6500P *2 For use with 1612/1622 and 1712/1722 *3 excl. CM17
*4 excl. MC6700P, CM8P, CM7P and CM6 *5 excl. MC6650



202-256-016	AC*1DG*2N*3OP*4Q*5		NP

*1 excl. MC6600P and MC6500P *2 For use with 1612/1622 and 1712/1722 *3 excl. CM17
*4 excl. MC6700P, CM8P, CM7P and CM6 *5 excl. MC6650



202-256-038	AC*1DG*2N*3OP*4Q*5		NP

*1 excl. MC6600P and MC6500P *2 For use with 1612/1622 and 1712/1722 *3 excl. CM17
*4 excl. MC6700P, CM8P, CM7P and CM6 *5 excl. MC6650

MAGNETIC SEAM GUIDE



By attaching to a metal needle plate, the magnetic seam guide can be used to guide the fabric and sew with an even seam allowance.

202-577-005	A CDEFG J NOPQ		BP

NET



624-806-006	ABCDEFGHIJKLMNOPQ		NP

KNEE LIFTER



The knee lifter is extremely helpful when sewing patchwork, quilting, etc., since it allows you to handle the fabric while your knee controls the presser foot.

202-542-001	A C J OP*1Q		Plastic bag

*1 excl. HMC9450QCP, HMC9400QCP, CM8P, CM7P, HMC9480QCP, HMC9410QC and CM6

SEWING MAT



301–802–002	DEFGHI K M	445 mm x 325 mm (Horizontal rectangle)	NP
301–803–003	L	370 mm x 610 mm(Vertical rectangle)	NP

INTERLOCKING SEWING MAT




Expand the Interlocking Sewing Mat by fitting pieces together if you need a larger area (for example, when using the Extra Wide Table).

For more information,
please refer to the JANOME BULLETIN.

202–537–003	ABC J N*1 OP*2 Q	400 mm x 630 mm	NP

*1 excl. CM17 *2 excl. CM8P, CM7P and CM6





202–536–002	N*1 P*2	400 mm x 960 mm	NP

*1 For use with CM17 *2 For use with CM8P, CM7P and CM6

SYNTHETIC LEATHER SOFT COVER

The soft cover is designed to protect your sewing machine.
It is lightweight and easy to put on and remove.



819–807–007	A*1 B*2	Without opening for handle	NP
202–576–004	H*3	Without opening for handle	NP
795–801–200	I	With opening for handle	NP
767–805–609	J P*4 Q*5	With opening for handle	NP


*1 For use with MC1000 *2 For use with MC100E *3 excl. ML744D and AT2000DP *4 For use with MC6700P
*5 For use with MC6650

CARRYING BAG

These bags have all the sturdy features a traveling sewist needs: strong handles, accessory pockets and tons of space. Whether you're just going to sewing class or you're traveling across the country, you deserve a bag that fits your style.

Part Number	Package	Image	Size (cm) Width X Height X Depth	Compatible models
655-811-206	CB		43 X 33 X 21	423S/415/405 3012/3016/3022 JR1012 1612/1622 1712/1722 303/306/743/316
808-857-101	NP		42 X 32 X 22	Sewist 725S/721 230DC/360DC/g+i 5060QDC/5270QDC/DC3200/ DC7100/DC6030/SEWLA 5100/MOD-100Q M200QDC/M7200 Sewist 780DC/Sewist 740DC 507/808/809/811/812/814
808-817-017	CB			
808-817-110	CB			
785-823-300	CB		32 X 35 X 30	ML204D/990D 8002D 9102D ML213 ML454D Sailing Line ML644D/ML554D Sailing Line ML634D/1110DX/DreamLock70D/ EzyLock604D/ML654D Sailing Line ML844D/ML744D/ML734D AT2000DP 789/792/793/790/779/791/788/794/799
785-826-107	NP		32 X 35 X 30	

STRAIGHT STITCH NEEDLE PLATE



The straight stitch needle plate is designed with a round needle hole which offers the benefit of more support around the needle and is used in conjunction with the straight stitch foot.

Part Number	Package	Standard or Optional	Compatible models	Max. zigzag width	Needle Position	Easy Set Bobbin	Replacement	Remarks
503-820-008	NP	Optional	6125QC/6019QC	7 mm	L,M	No	Screw	
860-405-906	CB	Optional	MC11000 860	7 mm	L,M	No	Screw	Metal Needle Plate
809-833-012	NP	Optional	2030DC/2160DC/3160QDC DC7100/DC7060/DC6030/5300QDC/5270QDC/5060QDC/SEWLA TS200Q//M200QDC/Sewist 780DC/740DC 808/809/811/812/814	7 mm	L,M	Yes	Screw	Metal Needle Plate
200-088-101	NP	Optional	MC3000/MC4000/MC9000/MC9500/MC9700	7 mm	L,M	No	Screw	
846-833-109	NP	Optional	MC6600P	7 mm	L,M	No	Screw	
819-803-003	NP	Standard	MC1000	7 mm	L,M	Yes	Magnet type (Manual)	
861-801-013	NP	Standard Optional	MC9900 MC9850	9 mm	L, M	Yes	One-Touch	
862-817-118	NP	Standard	HMC8900QCP SE/HMC8200QCP SE/ SKYLINE S9/S7/S6/S5/HMC9480QCP/HMC9410QC/ HMC9450QCP/HMC9400QCP/MC6700P/MC6650	9 mm	L, M, R	Yes	One-Touch	
865-805-019	NP	Standard Optional	HMC9480QCP/HMC9450QCP/HMC9400QCP/MC6700P HMC9410QC/SKYLINE S9 ver.2.00 or later/MC6650	9 mm	L	Yes	One-Touch	HP Needle Plate
859-831-015	NP	Standard	HMC12000/HMC8900QCP/HMC8200QC	9 mm	L, M	No	One-Touch	
865-805-112	NP	Standard Optional	HORIZON Quilt Maker MC15000 HMC15000/HMC15000V2	9 mm	L	Yes	One-Touch	HP Needle Plate
862-817-015	NP	Standard	HMC15000/HMC15000V2/ HORIZON Quilt Maker MC15000/HMC14000	9 mm	L, M, R	Yes	One-Touch	
867-802-001	NP	Standard	CM6/CM7P/CM8P/CM17	9 mm	L, M, R	Yes	Magnet type (Automatic)	
867-803-002	NP	Standard Optional	CM7P/CM8P/CM17 CM6	9 mm	L	Yes	Magnet type (Automatic)	HP Needle Plate
867-405-000	BP	Optional	CM6/CM7P/CM8P/CM17	9 mm	L	Yes	Magnet type (Automatic)	HP Needle Plate and HP Foot
869-410-004	BP	Optional	HMC9480QCP/HMC9450QCP/HMC9410QC/HMC9400QCP/ SKYLINE S9 ver.2.00 or later/SKYLINE S7 Anniversary Edition/ MC6700P/MC6650/HMC15000	9 mm	L	Yes	One-Touch	HP Needle Plate and HP Foot

OPTIC MAGNIFIER



When you need to get a closer view, attach the magnifier to make it easy to see the tiniest detail under the needle. Useful when threading, adjusting the position of the fabric, and carrying out detailed work.

Part Number	Package	Holder	Strength	Compatible Models	
				Optional Accessory	Standard Accessory
202-573-023	Plastic bag	Short	20	1612/1622 1712/1722	
202-573-012	Plastic bag	Short	20/40/60	1612/1622 1712/1722	
202-129-008	BP	Short	20	DC7100/DC7060/DC6030/5060QDC/ DC3200/SEWLA	HMC12000
202-130-002	BP	Long	20/40/60	HMC14000*1 HMC9480QCP/HMC9410QC HMC9450QCP/HMC9400QCP HMC8900QCP/HMC8200QC/MC6700P MC9900/MC9850/MC6650/MC1000 SKYLINE S9/S7/S6/S5/S3 Sewist 780DC/740DC 4300QDC M200QDC/M100QDC/M50QDC TS200Q*2/TS100Q*2	HMC15000 5300QDC/5270QDC
202-400-006	BP	Long	20	Same as above	HMC14000
202-432-007	BP	Long	20/40/60	CM8P/CM7P/CM6	CM17

★1 Strength 20 is packed as a standard accessory. ★2 Holder (#859-233-000) and Setscrew 3x10(#000-161-206) are required for TS200Q/TS100Q(811) .

SKYLINE ACCESSORY CASE



Keep all the accessories for 9mm machines organized with this stylish 3-tiered accessory case.
Everything from bobbins to presser feet can be kept neat and clean in its own place.

863-406-010	**For all SKYLINE models except S3**	CB

EMBROIDERY HOOP



Part Number	Package	Hoop Name		Size (mm) X × Y	Compatible Models
856-401-002	CB	J	Small	50 × 50	MC200E
850-803-000	CB	C	Free Arm	50 × 50	MC350E
850-406-009	CB	D	Giga	230 × 200	
819-401-007	CB	SQ10e	Square	100 × 100	MC1000/MC100E
819-402-008	CB	FA10e	Free Arm	100 × 40	MC1000/MC100E
819-403-009	CB	FA5e	Free Arm	50 × 50	MC1000/MC100E
864-839-008	NP	RE36b	Rectangular	200 × 360	MC550E(Standard Accessory)
864-403-009	CB	RE28b	Rectangular	200 × 280	MC550E/MC500E/MC450E
864-404-000	CB	SQ20b	Square	200 × 200	MC550E/MC500E/MC450E/MC400E
864-405-001	CB	RE20b	Rectangular	140 × 200	MC550E/MC500E/MC450E/MC400E
864-406-002	CB	SQ14b	Square	140 × 140	MC550E/MC500E/MC450E/MC400E
864-407-003	CB	RE10b	Rectangular	100 × 40	MC550E/MC500E/MC450E/MC400E
864-438-003	CB	SQ10b	Square	100 × 100	MC550E/MC500E/MC450E/MC400E
864-435-000	CB	ASQ18b	AcuFil Quilting Kit	184 × 184	MC550E/MC500E/MC450E/MC400E
864-402-008	CB	ASQ18b	AcuFil Quilting Kit	184 × 184	MC500E/MC450E/MC400E
861-803-509	NP	RE20a	Rectangular	170 × 200	SKYLINE S9/MC9900/MC9850
861-402-205	CB	FA10a	Free Arm	100 × 40	SKYLINE S9/MC9900/MC9850
860-427-007	CB	FA	Free Arm	50 × 50	MC11000SE
860-428-008	CB	MA	Macro	200 × 280	
860-421-001	CB	RE	Rectangular	140 × 200	
860-445-023	CB	ASQ	Professional Quilting Kit	180 × 180	
862-412-005	CB	ASQ22	AcuFil Quilting Kit	220 × 220	HMC14000/HMC12000
862-407-052	CB	RE18	Essential	140 × 180	HMC15000/HMC14000
770-487-704	NP	J1 No.11		30(diam.)	MB-7/MB-4S/MB-4 *Monogram Hoop Adaptor (770-482-008) is required when using hoops J1-J8
770-487-807	NP	J1 No.12		30(diam.)	
770-487-302	NP	J2 No.6		24 × 54	
770-487-900	NP	J3 No.13		64 × 28	
770-487-508	NP	J4 No.8		42 × 67	
770-487-209	NP	J5 No.3		46 × 46	
770-487-106	NP	J6 No.2		66 × 66	
770-487-601	NP	J6 No.9		66 × 66	
770-487-003	NP	J7 No.1		110 × 95	
770-487-405	NP	J8 No.7		120 × 121	
770-478-414	NP	S1:MB		37 × 59	MB-7/MB-4S/MB-4 *Socks Hoop Adaptor (770-657-006) is required when using hoops S1, S2
770-478-517	NP	S2:MB		28 × 50	
770-480-006	CB	Sock Hoop Kit			

Part Number	Package	Hoop Name	Required Hoop Size (mm)	Compatible Models
200-335-003	Plastic bag	Hat Hoop Insert (HH10b)	140 × 200	MC550E/MC500E/MC450E/MC400E/MC300E/MC350E MC9500/MC9700/MC11000SE
859-436-005	Plastic bag	Hat Hoop Insert	140 × 140	HMC15000/HMC14000/HMC12000
770-489-005	Plastic bag	Flat hat Hoop	Not required	MB-7/MB-4S/MB-4

Part Number	Package	Name	Required Hoop	Compatible Models
868-415-006	CB	Magnetic clamp attachments	ASQ27d	For use with CM17 Ver. 2.00 or later only

EXTRA WIDE TABLE



An Extra wide table fits snugly against your sewing machine, giving you a much larger work surface. Extra wide tables provide extra support for your sewing and quilting projects.

Part Number	Package	Compatible Models					
303-403-005	CB	423S/419S/415/405	523/3022				
		303	312				
306-502-004	CB	3012/3016/3022	311	FM-725	JR1012		
		306	311	725C	743		
725-813-002	CB	FM-725	JR1012				
		725C	743/744/746/305				
491-703-015	NP	HD2200 MyExcel 18/23	Décor 5124/5024/5018				
		753	757				
502-405-000	CB	Sewist 725S/721/709					
		507G/507F					
502-403-008	NP	FD216/212/206 Sew Mini Platinum	M30A				
		508A/D/X/FD	805A				
503-801-003	CB	6019QC/6125QC					
		503					
489-710-007	NP	HMC7700QCP (Standard Accessory)	HMC8200QC/ HMC8200QCP SE	HMC8900QCP/ HMC8900QCP SE (Standard Accessory)			
		858A	858G/G2	858F/F2			
491-701-013	CB	DC4030	DC2019/DC2010/NEK-50	8077/Magnolia7330	MC4800/MC4800QC	NH8420	DC3018
		807F	843S2	843W	841A	842H	843H/C
491-701-091	CB	MC4900	MC5200				
		847B	844C				
819-404-206	CB	MC1000					
		819					
499-702-100	CB	HD9P/1600P					
		767					
499-702-915	CB	HD9 QCP (Standard Accessory)					
		768					
808-401-003	NP	3160QDC/2160DC 2030DC	4120QDC/4300QDC/5300QDC 5270QDC (Standard Accessory)	DC7060/7100/6030 5060QDC (Standard Accessory)	MOD100/50/30	M200QDC/M100QDC M50QDC	780DC/740DC
		808A/D/F	809A/AS/AU	809J2/J3/N/F	811	812	814
808-428-006	CB	3160QDC/2160DC 2030DC	4120QDC/4300QDC/5300QDC 5270QDC (Standard Accessory)	DC7060/7100/6030 5060QDC (Standard Accessory)	MOD100/50/30	M200QDC/ M100QDC M50QDC	780DC/740DC
		808A/D/F	809A/AS/AU	809J2/J3/N/F	811	812	814
863-414-000	CB	MC9900	SKYLINE S9	SKYLINE S7/S6/S5/S3			
		861	862SA	863AU/863F/863A/863AL			
846-401-104	CB	MC6700P (Standard Accessory)	MC6650	MC6600P	MC6500P (Standard Accessory)		
		866A	866D	846F	846A		
865-806-009	NP	HMC9450QCP (Standard Accessory)	HMC9400QCP (Standard Accessory)				
		865C	865A				
869-412-006	CB	HMC9480QCP (Standard Accessory)	HMC9410QC (Optional Accessory)				
		869A	869AL				
868-404-013	CB	CM17 (Optional Accessory)					
		868					
867-806-027	CB	CM8P (Standard Accessory)	CM6 (Optional Accessory)	CM7P			
		867C	867CL	867A			
864-408-004	CB	MC500E/MC450E/ MC400E					
		864AU/A/AL					
864-408-015	CB	MC550E/MC500E MC450E/MC400E					
		864F/AU/A/AL					
770-814-003	CB	MB-4S/MB-4	MB-7				
		770	771				
202-438-106	CB	990 90th Anniversary	8002D	9102D	ML454D Sailing Line	ML213	AT2000DP
		789	792	793	779	790	799
795-812-307	CB	CoverPro 2000CPX	CoverPro 3000P				
		796D	778				

SPOOL STAND



The two/five pin spool stand attaches easily to the back side of your machine. When using multiple colors of embroidery thread it makes for trouble-free embroidery, as it allows you to set out your colors as you sew.

Part Number	Package	Number of spool	Thead Guide	Compatible Models
202-513-003	CB	For Two Spools	Not Available	Oscillating hook models (Harmony2039/2049, 920, 1580LX, 311, 3012/3016/3022, JR1012, 1522, 1612/1622, 1712/1722)

Part Number	Package	Number of spool	Thead Guide	Compatible Models
859-429-005	CB	For Two Spools	Round × 1	HMC15000/HMC14000/HMC12000/MC9900/MC9850/HMC9480QCP/ HMC9410QC/MC9450/MC9400/SKYLINE S9/S7/S6/S5/S3
858-402-009	CB		Square × 1	HMC8900QCP/HMC8200QC/HMC7700QCP
859-429-016	CB		Round × 1 Square × 1	HMC15000/HMC14000/HMC12000/MC9900/MC9850/HMC9480QCP/ HMC9410QC/HMC9450QCP/HMC9400QC/HMC8900QCP/HMC8200QC/ HMC7700QCP/MC550E/MC500E/MC450E/MC400E/SKYLINE S9/S7/S6/ S5/S3/MC1000/MC100E
869-400-908	CB		Round × 1	HMC9480QCP/HMC9410QC *Belt cover side mounting type

Part Number	Package	Number of spool	Thead Guide	Compatible Models
852-406-005	CB	For Five Spools	Square x 1	MC350E
832-420-014	CB		Square x 1	MC10001/MC10000/MC9700/MC9500/MC9000/MC300E
860-406-000	CB		Square x 1	MC11000/MC200E
859-430-009	CB		Round x1	HMC15000/HMC14000/HMC12000/MC9900/MC9850/HMC9480QCP/ HMC9410QC/HMC9450QCP/HMC9400QCP/HMC8900QCP/HMC8200QC/ HMC7700QCP/MC550E/500E/450E/400E/SKYLINE S9/S7/S6/S5/S3/ MC1000/MC100E
868-405-014	CB		Not Available	CM17

202-513-003
For Oscillating hook models



869-400-908
For HMC9480QCP/HMC9410QC
*Belt cover side mounting type



I N D E X

JANOME QUALITY

ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE (Dual feed 1/4 inch seam foot and needle plate) 9
ACUFEED 1/4 INCH SEAM FOOT(Dual feed 1/4 inch seam foot) 9
ACUFEED DITCH QUILTING FOOT(Dual feed ditch quilting foot) 10
ACUFEED FLEX PROFESSIONAL GRADE FOOT (Dual feed plus professional grade foot) 12
ACUFEED FOOT WITH FOOT HOLDER(Dual feed plus foot with foot holder) 11
ACUFEED OPEN TOE FOOT(Dual feed open toe foot) 9
ACUFEED QUILT PIECING FOOT(Dual feed quilt piecing foot) 9
ACUFEED STRAIGHT STITCH FOOT(Dual feed straight stitch foot) 10
ACUFEED ZIPPER FOOT(Dual feed plus zipper foot) 11
A.S.R.® 12

GENERAL SEWING MACHINES

1/4 INCH RULER FOOT 29
1/4 INCH SEAM FOOT 26
1/4 INCH SEAM FOOT (WITHOUT GUIDE) 26
3-WAY CORDING FOOT 24
9-HOLE CORDING FOOT 24
APPLIQUE FOOT 14
BEADING FOOT 24
BIAS TAPE ATTACHMENT 21
BINDER FOOT 17
BLIND HEM ATTACHMENT 21
BLIND HEM FOOT 19
BOBBIN HOLDER FOR FREE QUILTING AND HAND-LOOK STITCHING 32
BOBBIN HOLDER (high tension for embroidery use) 35
BORDER GUIDE FOOT 33
BUTTON SEWING FOOT 25
BUTTONHOLE STABILIZER PLATE 33
CIRCULAR ATTACHMENT 35
CLEAR VIEW 1/4 INCH SEAM FOOT 26
CLEAR VIEW QUILTING FOOT AND GUIDE SET 27
CONCEAL® ZIPPER FOOT 20
CONVERTIBLE EVEN FEED FOOT SET 28
CONVERTIBLE FREE MOTION QUILTING FOOT SET 30
CUSTOM CRAFTED ZIGZAG FOOT 17
DARNING FOOT 15
DITCH QUILTING FOOT 29
DITCH QUILTING GUIDE AND ADJUSTABLE QUILTING GUIDE SET 28
EDGE GUIDE FOOT 34
EVEN FEED FOOT WITH QUILTING GUIDE 28
FLOWER STITCHER 36
FREE MOTION COUCHING FOOT SET 32
FRINGING FOOT 34
GATHERING FOOT 17
HD ROLLER FOOT 16
HEMMER FEET SET 20
LAP-SEAM FOOT 18
LARGE BUTTONHOLE FOOT AND STABILIZER PLATE 33
LEFT BI-LEVEL FOOT 18
LONG QUILTING GUIDE BAR SET 29
OVERCASTING FOOT 19
OVEREDGE FOOT 19
PINTUCKING CORD GUIDES 23
PINTUCKING FEET 23
PIPING FOOT 22
PIPING FOOT (NARROW) 22
PROFESSIONAL GRADE 1/4INCH SEAM FOOT 26
QUILT BINDER SET 36
RIBBON SEWING GUIDE 34
RIBBON/SEQUIN FOOT 25
RIGHT BI-LEVEL FOOT 18
ROLLED HEM FOOT 20
ROLLER FOOT 15
ROTARY EVEN FOOT 21
ROUND HEM FOOT 20
RUFFLER 22
SATIN STITCH FOOT 16
SLIDING BUTTONHOLE FOOT 25
SLIDING GUIDE FOOT 15
STRAIGHT STITCH FOOT 14
TAPING GUIDE FOOT 18
TRANSPARENT BUTTONHOLE FOOT 25
TRICOT FOOT 19
ULTRA GLIDE FOOT 16
ULTRA GLIDE NEEDLE PLATE & ULTRA GLIDE FOOT 16
WIDE ROLLED HEM ATTACHMENTS 21
ZIPPER FOOT 20

OVERLOCKERS

BEADING FOOT 39
BLIND STITCH FOOT 38
CLOTH GUIDE 39
CORDING FOOT(A) 37
CORDING FOOT (B) 37
ELASTIC GATHERING ATTACHMENT 38
GATHERING ATTACHMENT 40
PIPING FEET 39
TAPING FOOT WITH REEL 38
WASTE CHIP BOX 40

COVER STITCH MACHINES

ADJUSTABLE SEAM GUIDE 42
BIAS TAPE GUIDE AND BELT LOOP FOLDER 45
BINDER FOOT WITH GUIDE 44
CENTER GUIDE FOOT 42
CLEAR VIEW COVER STITCH FOOT 41
ELASTIC GATHERING ATTACHMENT 42
HEM GUIDE 41
TAPE BINDER 43
TAPE BINDER AND BINDER FOOT WITH GUIDE 44
TAPE STAND 44

PROFESSIONAL OVERLOCK AND COVER STITCH MACHINES

BEADING FOOT 47
BELT LOOP FOOT 47
BIAS TAPE FOOT 47
BLIND STITCH FOOT 46
COVER HEM FOOT, LACE ATTACHMENT,HEM & WRAPPED EDGE GUIDES 48
GATHERING FOOT 46

HIGH SPEED MACHINES

1/4 INCH RULER FOOT SET 54
1/4 INCH SEAM FOOT 51
ADJUSTABLE SEAM GUIDE 54
ADJUSTABLE ZIPPER FOOT 53
CONCEAL® ZIPPER FOOT 54
CONVERTIBLE FREE MOTION QUILTING FOOT SET 55
DARNING FOOT WITH DARNING PLATE 52
DITCH QUILTING FOOT 51
EVEN FEED FOOT 52
FREE MOTION FRAME QUILTING FEET SET 55
HD ROLLER FOOT 49
HEMMER FOOT 51
NARROW HINGED FOOT (RIGHT SIDE) 53
NARROW STRAIGHT STITCH FOOT 50
RIGHT BI-LEVEL FOOT 53
STRAIGHT STITCH FOOT AND NEEDLE PLATE FOR FINE FABRICS 50
TAPING FOOT 52
ULTRA GLIDE FOOT 49
VELVET FOOT 50

NEEDLES

ASSORTED SEWING NEEDLES 57
BALL POINT NEEDLES 58
BLUE TIP NEEDLES 58
CUTWORK NEEDLE HOLDER 60
CUTWORK NEEDLE SET 60
FM725 CHANGEABLE NEEDLE UNIT 61
FM725 FIXED FIVE FELTING NEEDLE UNIT 61
FM725 FIXED SINGLE FELTING NEEDLE UNIT 61
FM725 NEEDLE REFILLS 61
PURPLE TIP NEEDLES 58
RED TIP NEEDLES 59
TOP STITCH NEEDLES 59

OTHER ACCESSORIES

ACUSTITCH 65
BLUE BOBBIN 67
BOBBIN CASES 67
BOBBINS 67
BRUSH-OUT EMBROIDERY KIT 64
CARRYING BAG 72
CLOTH SETTER 64
CUTWORK EMBROIDERY KIT 65
DRAWER 63
EMBROIDERY COUCHING FOOT SET 64
EMBROIDERY HOOP 75
EMBROIDERY THREAD 66
EXTRA WIDE TABLE 76
INSERT PLATE-A FOR HORIZON SERIES 63
INSERT PLATE-B FOR MC6600P/MC6500P 63
INSERT PLATE-C FOR MC11000/MC11000SE 63
INSERT PLATE-D FOR MC9900 63
INSERT PLATE-E FOR MC15000 63
INSERT PLATE-F FOR SKYLINE & ATELIER SERIES 63
INSERT PLATE-G FOR MC9450/MC9400 63
INSERT PLATE-H FOR MC6700P 63
INSERT PLATE-K FOR CM17 & CM7P 63
INTERLOCKING SEWING MAT 71
KNEE LIFTER 70
LARGE EMBROIDERY DESIGN COLLECTION 65
LARGE FOOT CONTROLLER 68
MAGNETIC SEAM GUIDE 70
NET 70
OPTIC MAGNIFIER 74
PIN CUSION 69
PINK BOBBIN 67
REMOTE THREAD CUTTING SWITCH UNIT 68
SEWING MAT 71
SIDE TABLE STAND UNIT 63
SKYLINE ACCESSORY CASE 74
SPOOL HOLDER (SPECIAL) 68
SPOOL STAND 77
STRAIGHT STITCH NEEDLE PLATE 73
SYNTHETIC LEATHER SOFT COVER 71
UNIVERSAL TABLE STAND FOR CONTINENTAL SERIES 62
UNIVERSAL TABLE STAND FOR HIGH SPEED STRAIGHT STITCH MODELS 62
UNIVERSAL TABLE STAND WITH DRAWER 62
UNIVERSAL TABLE STAND WITHOUT DRAWER 62

ACCESSORY CATALOG

JANOME

JANOME Corporation